

HP.HPE0-J68.v2022-07-23.q61

Exam Code:	HPE0-J68
Exam Name:	HPE Storage Solutions
Certification Provider:	HP
Free Question Number:	61
Version:	v2022-07-23
# of views:	2670
# of Questions views:	1496
https://www.dumpsfiles.com/files/HP/HPE0-J68/HP.HPE0-J68.v2022-07-23.q61	

NEW QUESTION: 1

A customer asks for an integrated solution for their remote office with All-Flash storage and ease of management. Application-aware replication to their main office is an important requirement. Which HPE solution component should you discuss with the customer first?

- A. HPE Nimble CS1000 system
- B. HPE MSA 2052 Storage
- C. HPE SimpliVity 380
- D. HPE 3PAR StoreServ 8200

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

A customer need a backup solution to their virtualized environment .The backup solution must be agentless ,hypervise independent and integrated with HPE storage solutions. The solution must support Nimble snapshot and replication management. What products meets the customer requirement?

- A. Veem Backup and Replication
- B. Micro Focus Data Protector
- C. HPE storeOnce Recovery manager central
- D. Commvault Simpana Intellisnap

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Which storage sizing tool, designed specifically for the HPE 3PAR StoreServ environment, shows the expected deduplication ratio based on actual data analysis of the customer's current environment?

- A. NinjaCrawler
- B. StoreVista

C. NinjaStars

D. NinjaThin

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

Match the MSA architecture components with their descriptions.

Component		Description
Tier		aggregation of disks of the same type using a specific RAID level
Virtual disk group		automatically assigned performance characteristic
Volume group		collection of virtual volumes allowing group management functions
Virtual pool		collection of virtual disk groups
Virtual volume		logical subdivision of a virtual pool that can be mapped to a host

Answer:

Component		Description
		aggregation of disks of the same type using a specific RAID level
		automatically assigned performance characteristic
		collection of virtual volumes allowing group management functions
		collection of virtual disk groups
		logical subdivision of a virtual pool that can be mapped to a host

NEW QUESTION: 5

A customer has a new Nimble CS3000 21T storage systems and is facing latency issues for his 2TB ERP database. What would be a design approach to solve this issue ?

A. Add additional SSd drives as cache to the system and PIN the volume

B. Perform controller upgrade to a Nimbel CS3000 storage systems

C. Enable storage tiering on the system and map the volume to the new tier

D. Change RAID of the drives to RAID -1and setup quality of services for the volume

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

A customer has a large deployment of HPE Synergy compute modules, HPE 3PAR StoreServ storage, and HPE StoreOnce systems in a single data center. They are concerned about the risk of data loss due to site disaster.

What is the reason to propose HPE CloudBank?

- A.** To leverage 3PAR snapshots and utilize StoreOnce recovery capabilities to minimize data loss and downtime.
- B.** To regularly send backups to the cloud for the purposes of DR protection.
- C.** To improve RPO/RTO objectives by automating snapshot-based integrating between 3PAR and StoreOnce.
- D.** To easily move workloads to AWS or Azure in the event of site disaster.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

A customer is implementing an SAP HANA environment and is looking for an alternative to an entirely in-memory database.

Which storage technology should you recommend?

- A.** Intel Optane
- B.** SAS SSD
- C.** NVMe SCM
- D.** NVMe SSD

Answer: **A** ([LEAVE A REPLY](#))

NEW QUESTION: 8

You are presenting the HPE StoreEver portfolio to a media agency.

What advantage is offered when using LTFS?

- A.** WORM functionality for file, block and object storage access on tape
- B.** file and block data management within an HPE HSM solution
- C.** file management capabilities will be provided with tape cartridges
- D.** file encryption with public and private key management

Answer: **C** ([LEAVE A REPLY](#))

NEW QUESTION: 9

Match the feature to the appropriate C-Series DCNM license type.

Answer Area		
SAN Essentials Edition		Bundled at no charge with the C-series switches
Advanced Edition		Provides configuration, real-time monitoring, and troubleshooting capabilities
		Switch/server-based license
		Historical performance monitoring for network traffic hotspot analysis

Answer:

Answer Area		
SAN Essentials Edition	SAN Essentials Edition	Bundled at no charge with the C-series switches
Advanced Edition	SAN Essentials Edition	Provides configuration, real-time monitoring, and troubleshooting capabilities
	Advanced Edition	Switch/server-based license
	Advanced Edition	Historical performance monitoring for network traffic hotspot analysis

NEW QUESTION: 10

A customer has the following requirements for a storage solution:

VMware environment

20 TB of standard business data

400 TB of video archive files

10 GB iSCSI connectivity

They are most concerned with the cost of the solution.

Which HPE storage solution offers the lowest cost while meeting the customer requirements?

- A. HPE Nimble
- B. HPE SimpliVity
- C. HPE MSA
- D. HPE Primera

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 11

A customer is planning to replace their existing LTO-6 tape library with a new HPE StoreEver MSL2024 tape library. They want to reuse their existing LTO-6 tape cartridges for reads and writes.

What is the latest tape drive technology that will provide backward compatibility?

- A. LTO7
- B. LTO5
- C. LTO6
- D. LTO8

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which statement is correct when discussing the RAID layout of an HPE Nimble HF-series storage system?

- A. RAID 6 or RAID 1 can be set up -24 data drives are used for RAID stripes.
- B. RAID 6 triple parity is set up -18 data drives are used for RAID stripes.

- C. RAID 6 triple parity is set up -21 data drives are used for RAID stripes.
- D. RAID 6 or RAID 1 can be set up -18 data drives are used for RAID stripes.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Which statement describes HPE StoreVirtual Network RAID functionality?

- A. Redundancy is managed on a per-volume basis.
- B. With Network RAID 10+2 data is striped and mirrored across two or more storage systems.
- C. Network RAID 10 requires an even number of storage nodes.
- D. Volumes remain available if an odd number of nodes are available.

Answer: A ([LEAVE A REPLY](#))

Redundancy is managed on a per volume basis to improve storage utilization and to remove any single point of failure.

NEW QUESTION: 14

During Technology workshop ,the customer asks about different between converged and fibre channel switches. What would be a benefits of using flex fabric switches in a fibre channel storage environment?

- A. In-flight compression and encryption provides efficient link utilization and security
- B. Zones can be configured for QoS with high ,medium, and low priorities within a fabric on a zone by zone basic
- C. Support for combining multiple physical switches in to one virtual switch with a single IP address
- D. Support for six Ethernet and two fibre channel ,or six Ethernet and two iSCSI or eight Ethernet adapters per server.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

What is used to migrate data between nodes in an HPE StoreVirtual VSA environment?


- A. Network RAID
- B. Peer Motion
- C. SmartClone
- D. Remote Copy

Answer: ([SHOW ANSWER](#))

Integrated with HPE Recovery Manager Central for seamless data movement to StoreOnce Backup appliances and StoreOnce VSA, and bidirectional replication with 3PAR StoreServ arrays (Peer Copy).

NEW QUESTION: 16

Refer to the exhibit.



You create two snapshots of a thin provisioned base volume in an HPE Primer a. One snapshot is read only and the other is read-write. A write occurs at the location shown in in the diagram. Place the actions on the left into the order they are taken on the right.

Action

Order

Copy block to snapshot CPG

Redirect the snapshots

Update the block with new data



Answer:

Answer Area

Redirect the snapshots

Copy block to snapshot CPG

Update the block with new data

- 1 - Redirect the snapshots
- 2 - Copy block to snapshot CPG
- 3 - Update the block with new data

Valid HPE0-J68 Dumps shared by TrainingDump.com for Helping Passing HPE0-J68 Exam! TrainingDump.com now offer the **newest HPE0-J68 exam dumps**, the TrainingDump.com HPE0-J68 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com HPE0-J68 dumps with Test Engine here:

<https://www.trainingdump.com/HP/HPE0-J68-practice-exam-dumps.html> (325 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

A Company using an existing 1GB iSCSI storage array is experiencing storage access performance issue. They are interested in deploying HPE 3PAR StoreServ with 16GB /S FC end-to-end to improve the performance to the minimal changes to the environment. The existing environment consists of these HPE products

- * HPE C7000 Blade system platinum blade enclosure with HP virtual connect Flex 10 interconnect modules.
- * Configuration of HPE ProLiant Gen8 and Gen9 blade servers
- * HPE 2920 Switches

Which HPE products must be included to support new HPE 3PAR StoreServ?(Select two)

- A. HPE B-Series 16GB SAN switch for HPE Blade system C-class series
- B. HPE 16GB/s Fibre channel HBA for Blade servers
- C. HPE Virtual connect Flex fabric 20/40 f8 modules
- D. HPE Flex fabric 20GB,2-Port 630 FLB adapter
- E. HP 5900CP switch series with 16GB/S SFP+ Modules

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

Match the type of storage found in today's market to the HPE storage solution optimized for that capacity?

- A. MSA - Block
- B. HPE 3PAR StoreServ - Block
- C. Nimble - Block
- D. Scalability - Object
- E. StoreEasy - File
- F. StoreVirtual - Block

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which 3PAR storeServ feature allow to host to continue I/O uninterrupted during a firmware update?

- A. Persistent Memory
- B. Persistent port (96)

C. Peer persistence

Answer: B ([LEAVE A REPLY](#))

D Persistent Cache

NEW QUESTION: 20

Which HPE 3PAR StoreServ feature allows a host to continue I/O uninterrupted during a firmware upgrade?

A. Persistent Ports

B. Persistent Memory

C. Persistent Cache

D. Peer Persistence

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

Which protocol can be used for accessing StoreOnce VTL target from Veeam?

A. SMBv3

B. FC

C. NFSv4

D. iSCSI

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 22

You are designing an HPE MSA iSCSI for a customer.

Which components are typically part of the solution? (Choose two.)

A. SFPs

B. Switch zones

C. Drives

D. Service Processor

E. All-inclusive Multi-system software

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

A customer with an HPE 3PAR StoreServ needs to upgrade their aging backup solution to a more advanced solution using snapshots and deduplication.

Which HPE products would meet the customer's needs? (Choose two.)

A. HPE Recovery Manager Central

B. HPE StoreEver

C. HPE StoreOnce

D. HPE 3PAR Remote Copy

E. HPE 3PAR File Persona

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 24

You need to deploy a Recovery Manager Central appliance and integrate it with a customer's 3PAR system.

Which information must be collected from the customer in order to proceed with the installer? (Choose two.)

- A. vCenter IP address or hostname
- B. NFS path
- C. HPE 3PAR used capacity
- D. IP address of the RMC
- E. StoreOnce store name

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 25

How does the HPE StoreVirtual VSA storage platform scale performance and capacity?

- A. eliminates the need for storage controllers
- B. enables access through multiple protocols
- C. aggregates all resources into a single storage pool
- D. recreates storage pools on multiple devices

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which resource provides configurations for HPE tested and referenced configurations in a software-defined storage environment?

- A. HPE Storage Sizer
- B. One Config Advanced
- C. NinjaStars
- D. StoreVirtual VSA Ready Nodes

Answer: D ([LEAVE A REPLY](#))

HPE StoreVirtual VSA Ready Nodes-HPE tested reference configurations on HPE ProLiant servers that address typical virtualization and remote office use cases, and deployment of converged solutions.

NEW QUESTION: 27

A customer successfully implemented an HPE Primera solution.

Which tool can be used to verify performance counters, such as IOPS, match customer requirements?

- A. OneView
- B. NinjaCrawler
- C. Primera on-node management GUI
- D. Recovery Manager Central

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

A customer run several HPE 3PAR storeserv system in their environment using data rest encryption .The customer needs to add an HPE 3PAR Storeserv 8000system to the storage pool and an external key manager for all systems.. What is the requirement for this solution?

- A. Data on the existing HPE 3PAR storeserv array must be decrypted and re-encrypted with new keys
- B. HPE ESKM FIPS mode must be disabled by the administrator
- C. Boot server for the existing 3PAR storeserv array must be replaced with self-encrypting drive
- D. All drives of the new HPE 3PAR storeserv array must be self-encrypting

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

Match each address with the associated address type.

Type		Address Format
FC		20:32:00:60:69:e2:19:82
IPv6		00:1B:44:11:3A:B7
iSCSI		iqn.2000-05.com.3pardata:20210002ac00851c:15.372.28.0
MAC		fe80::85b0:5df6:1dfb:6793

Answer:

Type		Address Format
FC	MAC	20:32:00:60:69:e2:19:82
IPv6	FC	00:1B:44:11:3A:B7
iSCSI	iSCSI	iqn.2000-05.com.3pardata:20210002ac00851c:15.372.28.0
MAC	IPv6	fe80::85b0:5df6:1dfb:6793

NEW QUESTION: 30

A customer has an existing configuration consisting of first class and nearline SAS drive in an 8000 SFF enclosure. They add two SFF 8000enclosure that are fully populated with nearline

drives to an existing HPE 3Par storeserv 8400 array. What should the customer do to optimize their storage configuration?

- A. Create new CPG for the newly installed drivers
- B. Run tunesys and on the array (275)
- C. Enable space reclamation
- D. Defrag the CPG and run align drive on their system

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

Which protocols are currently used in the front end by HPE 3PAR StoreServ systems? (Choose two.)

- A. FC
- B. Infiniband
- C. SAS
- D. NVMe
- E. iSCSI

Answer: A,E ([LEAVE A REPLY](#))

Valid HPE0-J68 Dumps shared by TrainingDump.com for Helping Passing HPE0-J68 Exam! TrainingDump.com now offer the **newest HPE0-J68 exam dumps**, the TrainingDump.com HPE0-J68 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com HPE0-J68 dumps with Test Engine here:

<https://www.trainingdump.com/HP/HPE0-J68-practice-exam-dumps.html> (325 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

NEW QUESTION: 32

A customer asks you for a recommendation on setting up their new StoreOnce appliance. They plan to use NetBackup and need the highest performance setup they can get. Their local hosts are connected via FC and the rest are connected via a WAN.

Which backup target type should you recommend?

- A. CIFS
- B. S3
- C. VTL
- D. Catalyst

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

You deployed and configured an all-flash Nimble array. The customer wants to attach their Windows-based server to the array.

Which HPE tool can you use on the host server to make the integration easier?

- A. Connection Manager
- B. StorServe Management Console
- C. Channel bonding
- D. Centralized Management Console

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 34

You are designing a new HPE 3PAR StoreServ all-flash array for the customer.. Which ratio should you expect to have the highest efficiency?

- A. Reclamation ratio
- B. Compaction Ratio
- C. Thin provisioning ratio
- D. Read/write ratio

Answer: B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 35

How does HPE StoreVirtual DSM for windows enhanced Microsoft windows native MPIO?

- A. It automatically create an I/O path to each storage system in the cluster
- B. It automatically combines HPE thin provisioning and volume migration technology
- C. It automatically adjusts the availability bandwidth between the switch and the array
- D. It automatically adjusts transfer block

Answer: A [\(LEAVE A REPLY\)](#)

NEW QUESTION: 36

A customer wants to expand his cascaded B-series based SAN but is concerned about latencies within the SAN backend. You recommend changing the topology to a full mesh.

Which switch feature will ensure that the latencies in the backend are at the lowest possible level?

- A. VSF
- B. NPIV
- C. LACP
- D. FSPF

Answer: D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 37

A customer environment includes:

- 10 DL380 Gen8 servers in a VMware Cluster
- 2 MSA storage arrays
- 2 8GB b-series fibre channel switches

The customer needs to replace their environment because it is end of life. They have limited budget. The customer is primarily concerned with management because they have limited IT staff, and they want to move away from fibre channel.

Which HPE Storage should you recommend?

- A. HPE Nimble dHCI
- B. HPE XP8
- C. HPE Primera
- D. HPE StoreOnce

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 38

Match the data access type in a SAN fabric to the correct description.

Data Access Type		Description
Centralized		Data access between a local server and a storage system connected to the same switch
Distributed		Data access between multiple, dispersed servers and one storage system
Local		Data access between multiple, dispersed servers and multiple storage systems

Answer:

Data Access Type		Description
Centralized	Local	Data access between a local server and a storage system connected to the same switch
Distributed	Centralized	Data access between multiple, dispersed servers and one storage system
Local	Distributed	Data access between multiple, dispersed servers and multiple storage systems

NEW QUESTION: 39

A customer uses Recovery manager central for VMware (RMC-V). They need to ability to perform granular recovery of application item directly from backups...Which solution integrates with RMC-V to provide the desired requirements?

- A. StoreOnce cloudbank
- B. Netbackup
- C. Veeam Backup & Replication
- D. CommVault

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

During a proof-of-concept you need to implement an inter-switch-link (ISL) between two HPE SN6000B switches. Which port mode must be set enable communication between the switches?

- A. E_PORT (Correct)
- B. N_PORT
- C. FL_PORT (WRONG)
- D. F_PORT

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

You are designing a solution that will have a new HPE Synergy frame and an HPE 3PAR StoreServ 8200 storage array with only the built-in ports. This new environment must keep the infrastructure within the data center to a minimum.

Which interconnect module will achieve this goal?

- A. Synergy 25-50Gb F8 Switch Module
- B. Synergy 20Gb Interconnect Link Module
- C. 6125G/XG Ethernet Blade Switch
- D. Virtual Connect SE 40Gb F8 Module

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which feature allows HPE Primera, HPE Nimble, and HPE XP arrays to work with third-party management tools?

- A. Service Processor
- B. StoreServe Management Console (SSMC)
- C. REST API
- D. Data Protection Manager (DPM)

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 43

You have just completed a performance analysis of an HPE 3PAR StoreServ 8400 disk array with different tiers at a customer's site. After reviewing the performance metrics, you determine that they should install a new tier of SSD drives.

Which actions should you recommend they take to fully optimize the array? (Choose two.)

- A. Rebalance all flash drives between nodes 0 and 2.
- B. Configure scheduled tunesys tasks.
- C. Configure Adaptive Optimization.
- D. Configure dedicated drives to enable Adaptive Flash Cache.
- E. Configure Adaptive Flash Cache.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 44

You are installing an HPE 3PAR StoreServ solution and need to integrate the array with the 3rd party monitoring application customer is using.

Which technology can be configured at 3PAR to support forwarding events from the array to the customer's monitoring application?

- A. IPMI
- B. SNMPv3
- C. NTP
- D. DMI

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

What is the typical protocol used to access data from object storage?

- A. iSCSI
- B. FC
- C. NVMe
- D. HTTP

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 46

A customer is planning to connect a new HPE 3PAR StoreServ system to its existing Synergy based composable infrastructure via direct-attach.

Which tool would be used to manage the storage?


- A. HPE InfoSight for 3PAR
- B. HPE Synergy Composer
- C. HPE Synergy Image Streamer
- D. HPE SAN Network Advisor

Answer: B ([LEAVE A REPLY](#))

Valid HPE0-J68 Dumps shared by TrainingDump.com for Helping Passing HPE0-J68 Exam! TrainingDump.com now offer the **newest HPE0-J68 exam dumps**, the TrainingDump.com HPE0-J68 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com HPE0-J68 dumps with Test Engine here:
<https://www.trainingdump.com/HP/HPE0-J68-practice-exam-dumps.html> (325 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

Exhibit:



Which fabric design is shown?

- A. single fabric
- B. meshed
- C. cascaded
- D. core-edge

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 48

What are two advantages of HPE Recovery Manager Central? (Select two.)

- A. Integration capabilities utilizing HTML
- B. Enables automatic transparent failover
- C. Manual data provisioning and policy-based copy protection
- D. Less expensive than traditional backup
- E. Includes Peer Copy asynchronous replication

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 49

An HPE 3PAR StoreServ 9000 All-Flash Array customer plans to deploy a secondary array 20 km away from their primary array to enable storage replication over a dark fibre. Their existing environment consists of one HPE Synergy Frame 12000, HPE SN6000B Fibre Channel Switches, HPE FlexFabric 5700 Switch Series, and HPE StoreOnce Systems.

Which HPE license is required to meet the customer's technical requirements?

- A. Extended Fabric
- B. Intelligent Resilient Framework licenses
- C. HPE 3PAR Remote Copy
- D. HPE StoreOnce Replication

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which actions can be done within InfoSight Cross-Stack Analytics for VMware and Hyper-V?
(Choose two.)

- A. View replication policies
- B. Locate inactive VMs
- C. Find noisy neighbors
- D. Modify administrative privileges
- E. Review backup schedules

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 51

What can move data directly from a snapshot to backup storage independent of backup server software?

- A. SSMC
- B. Virtual Lock
- C. CLI
- D. Express Protect

Answer: ([SHOW ANSWER](#)**)**

The Express Protect feature offers data protection by facilitating Express Protect of snapshots from HPE 3PAR StoreServ to HPE StoreOnce.

NEW QUESTION: 52

Where does HPE 3PAR StoreServ Data-at-Rest Encryption occur?

- A. physical disk
- B. ASIC
- C. processor
- D. host

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

You are proposing a new Nimble solution to a customer that recently experienced data loss in their existing storage array.

Which features of the Nimble array should you emphasize to your customer to address their concerns? (Choose two.)

- A. quick RAID rebuild
- B. compression
- C. deduplication
- D. triple parity
- E. encryption

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 54

A customer has mission-critical applications that intermittently experience heavy disk I/O. The storage speed has the most impact on the application's performance. The customer does not want to dedicate SSD disks to these applications because additional performance is only needed periodically, and moving the volumes between tiers takes too long.

Which HPE StoreVirtual VSA feature can address this customer's challenge?

- A. Space Reclamation
- B. Thin Provisioning
- C. Storage virtualization
- D. Adaptive Optimization

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 55

You are proposing a StoreOnce solution to a customer that has always used tape for a backup target.

What should you suggest to ensure that the StoreOnce deduplication is correctly sized?

- A. StoreOnce timeless storage
- B. proof of concept with StoreOnce VSA
- C. DDAnalyzer
- D. OCA

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which technology is used in a B-series SAN switch to prevent communication between unauthorized devices?

- A. Port isolation
- B. VSAN
- C. Zoning
- D. IVR

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 57

A customer needs to store a large amount of unstructured data that must be queried quickly. Which type of storage meets the customer's needs?

- A. file
- B. hash
- C. flash
- D. object

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 58

A customer uses Veeam to backup their entire datacenter.

Which Veeam feature allows them to recover a single email from their Exchange server?

- A. Explorer for Storage Snapshots
- B. SureBackup
- C. Changed block tracking
- D. Data Mover Service

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 59

What performance benefit is provided by using the HPE StoreVirtual DSM for Microsoft MPIO instead of the standard MPIO?

- A. The iSCSI connections are blocked to non-critical nodes in the cluster by default.
- B. The HPE DSM increases availability and reduces latency and throughput.
- C. The storage system, which holds a copy of the requested data, services the read I/Os.
- D. The storage system, which receives a copy of the data, does not service the write I/O.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 60

Which feature enables a non-disruptive environment where host-based multi-pathing software is not affected in the event of a firmware upgrade?

- A. HPE 3PAR MPIO
- B. HPE 3PAR Persistent Ports
- C. HPE 3PAR Access Guard
- D. HPE 3PAR Persistent Cache

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

A customer with several HPE 3PAR StoreServ arrays has reported latencies with newly updated applications.

You have proposed changes to the AO configuration and need to provide high-resolution reports on how the change has affected the latencies.

What should you propose on delivering the service time and I/O workload information daily for you and the customer?

- A. Enable the Service Processor to gather Performance data and schedule data transfer.
- B. Schedule SSMC System Reporter to send the defined email reports.
- C. Login to InfoSight and analyze Advanced Performance history.
- D. Use IMC to schedule performance data gathering and email delivery.

Answer: C ([LEAVE A REPLY](#))

Valid HPE0-J68 Dumps shared by TrainingDump.com for Helping Passing HPE0-J68 Exam! TrainingDump.com now offer the **newest HPE0-J68 exam dumps**, the TrainingDump.com HPE0-J68 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com HPE0-J68 dumps with Test Engine here:

<https://www.trainingdump.com/HP/HPE0-J68-practice-exam-dumps.html> (325 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)

Valid HPE0-J68 Dumps shared by TrainingDump.com for Helping Passing HPE0-J68 Exam! TrainingDump.com now offer the **newest HPE0-J68 exam dumps**, the TrainingDump.com HPE0-J68 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com HPE0-J68 dumps with Test Engine here:

<https://www.trainingdump.com/HP/HPE0-J68-practice-exam-dumps.html> (325 Q&As Dumps,

40%OFF Special Discount: Exam-Tests)