

NetworkAppliance.NS0-162.v2022-12-24.q86

Exam Code:	NS0-162
Exam Name:	NetApp Certified Data Administrator, ONTAP
Certification Provider:	Network Appliance
Free Question Number:	86
Version:	v2022-12-24
# of views:	782
# of Questions views:	1777
https://www.dumpsfiles.com/files/NetworkAppliance/NS0-162/NetworkAppliance.NS0-162.v2022-12-24.q86	

NEW QUESTION: 1

You have a new ONTAP 9.7 2-node AFF A300 cluster with 2x DS224C full shelves of 3.8 TB encrypted SSDs.

In this scenario, which statement matches the factory disk-ownership setting?

- A. All drives on shelf 1 are assigned to one node, and all drives on shelf 2 are assigned to the partner node.
- B. Disk ownership is not assigned by the factory,
- C. Drives 0-11 on each shelf are assigned to one node, and drives 12-23 on each shelf are assigned to the partner node.
- D. All even-numbered drives on each shelf are assigned to one node, and all odd-numbered drives on each shelf are assigned to the partner node.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

Windows 2019 reports 500 GB of free space on a disk; however, on the storage side, the LUN has 0 bytes free.

When the host deletes files on the disk, auto reclaim on the thin-provisioned LUN does not occur.

In this scenario, which action should you take to enable space reclamation?

- A. Enable space guarantees on the LUN.
- B. Set the space allocation option to disable.
- C. Enable space guarantees on the volume.
- D. Set the space allocation option to enable.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Click the Exhibit button.

You have a new AFF A400 with a switched 10 GbE cluster interconnect.

Referring to the exhibit, which statement is true about utilizing free ports on slot 3 for the data connection?

- A. Free ports can be used as a 10 GbE connection.
- B. The ports in slot 3 cannot be used in any scenario.
- C. Slot 3 is used as the acceleration card and the cluster interconnect.

D. Ports in slot 3 can be used for 40/100 GbE data connections.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

You have an AFF A400 ONTAP cluster provisioned at both your production and disaster recovery sites. You want to manage and receive scheduled health reports.


Which two tools would help you to accomplish this task? (Choose two.)

- A. Active IQ Config Advisor
- B. ONTAP System Manager
- C. Active IQ Unified Manager
- D. Cloud Insights

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Exhibit.



You are caching on-premises ONTAP volumes into the cloud with Cloud Volumes ONTAP as shown in the exhibit. In this scenario, which two protocols are supported? (Choose two.)

- A. NFS
- B. NVMe
- C. iSCSI
- D. SMB

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

A customer requests that all new data volumes created for an SVM must be hosted on a dedicated SSD aggregate.

How do you accomplish this task?

- A. Relocate all non-SSD aggregates from the controller.
- B. Edit the SVM and select only the SSD aggregate using the delegate volume creation option.
- C. Move the SVM root volume to the SSD aggregate.
- D. Create a SnapMirror policy to replicate any volumes created on the non-SSD aggregates to the SSD aggregate.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 7

You are the administrator of an ONTAP 9.8 cluster. You have configured an hourly snapshot schedule for all NAS volumes. One of your users accidentally deleted an Important spreadsheet file on an SMB share. The file needs to be restored as quickly as possible by the Windows user.

Which statement is correct in this scenario?

A. On the cluster CLI, execute the volume clone create command with the -parent-snapshot option set to the latest Snapshot copy and share the cloned volume as an SMB share, then copy the file back.

B. On the cluster CLI, execute the volume snapshot restore-file command with the options to select the Snapshot, path, and restore-path

C. In Windows Explorer, right-click on the SMB share where the file was deleted, go to previous versions select the file and copy it to the original location.

D. In ONTAP System Manager, navigate to the volume where the share resides, click on snapshot copies and restore the latest Snapshot copy.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

Click the Exhibit button.

A customer has zoned switches to a host, but the host cannot see the LUNs.

Referring to the exhibit, what needs to be done to make the LUNs visible to the host?

A. The customer should remove the switches and directly connect the host to the controller ports.

B. Ports on tme-a700 nodes 1 and 2 should have the fc_nvme protocol removed.

C. Zoning should be changed to use the 20:06:d0:39:ea:05:03:a3 and 20:08:d0:39:ea:05:03:a3 WWPNs.

D. Zoning should be changed to use the 50:0a:09:81:80:d2:c3:b8 and 50:0a:09:81:42:c2:b9 WWPNs.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Exhibit.



Op	Size	Total	Failed	Latency min	Latency max	Latency avg	Throughput
PUT	4MB	50000	0	10500	719	277.3MB	
GET	4KB	5000000	0	9591	38	48.46MB	
GET	8KB	5000000	9	10021	37	123.3MB	
GET	32KB	5000000	7	7889	60	475.3MB	
GET	256KB	2125276	21	7838	450	530.7MB	

You have a NetApp AFF A400 HA pair with Fabric Pool enabled on all data using the snapshot-only policy. Users are reporting slow restores when they recover files with the Windows Previous Versions tab. Referring to the exhibit, what is the highest latency seen on restore?

- A. 9591
- B. 10500
- C. 10021
- D. 7889

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 10

You are using NetApp Volume Encryption (NVE) on an AFF system.

In this scenario, which two key-management solutions are supported for NVE? (Choose two.)

- A.** an XTS-AES-256 key manager
- B.** the onboard key management service
- C.** a KMIP server
- D.** an SSH key manager

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

You are running a FAS system environment with hybrid and SSD aggregates. You want to free some space on the SSD drives by using FabricPool technology. You want to keep latency as low as possible.

In this scenario, which technology will accomplish this task?

- A.** Flash Pool
- B.** on-premises StorageGRID
- C.** FlexCache
- D.** thick provisioning

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

You are currently using SnapMirror Synchronous (SM-S) to protect a critical workload at your organization and you want to convert the SnapMirror policy from Sync to StrictSync.

In this scenario, which procedure allows you to achieve this task?

- A.** Recreate the SnapMirror relationship, specifying the strictsync policy, then re-synchronize it.
- B.** Modify the existing SnapMirror relationship specifying the strictsync policy, then re-synchronize It.
- C.** Recreate the SnapMirror relationship, specifying the strictsync policy, then promote It.
- D.** Modify the existing SnapMirror relationship specifying the strictsync policy, then promote It.


Answer: ([SHOW ANSWER](#))

KB included in the reference also confirms C is the correct answer. Here is another KB also confirming;

<https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.pow-dap%2FGUID-AE2302D3-E489-43FE-B64F-1D351DAC6787.html>

NEW QUESTION: 13

Exhibit.



You are adding a NetApp AFF A400 system to an existing 4-node cluster and want to know which ports you would use to expand your cluster.

Referring to the exhibit, which tool would you use to accomplish this task?

- A. Active IQ Unified Manager
- B. NetApp Interoperability Matrix (IMT)
- C. Active IQ Conflg Advisor
- D. NetApp Hardware Universe (HWU)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

Click the Exhibit button.

The volumes shown in the exhibit, vol1 and vol2, are in the same AFF aggregate. You write the same large 100 GB file to both vol1 and vol2. Based on the volume efficiency settings, which action occurs?

- A. The files are deduplicated at the aggregate level.
- B. The files are queued for a background deduplication schedule.
- C. The files are deduplicated at the SVM level by SVM1.
- D. The files are deduplicated at the volume level.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 15

You have created a new FlexCache cache volume and want to warm the cache before clients access the cache volume for the first time. In this scenario, how would you accomplish this task?

- A. Enable block-level Invalidation using the volume flexcache origin config modify command.
- B. Synchronize the origin and cache first with the volume flexcache sync-properties command.
- C. Copy the data from the origin volume to the cache volume with the NetApp XCP Migration Tool.
- D. Prepopulate the cache volume with data from the origin volume using the flexcache prepopulate start command.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

Your ONTAP cluster serves data and backup traffic running on the same physical port. You must isolate backup traffic from your production network traffic.

Which two actions must be performed to accomplish this task? (Choose two.)

- A. Create a namespace.
- B. Create a broadcast domain.
- C. Create a VLAN.
- D. Create IPspaces.

Answer: B,C ([LEAVE A REPLY](#))

Valid NS0-162 Dumps shared by TrainingDump.com for Helping Passing NS0-162 Exam! TrainingDump.com now offer the **newest NS0-162 exam dumps**, the TrainingDump.com NS0-162 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com NS0-162 dumps with Test Engine here: <https://www.trainingdump.com/NetworkAppliance/NS0-162-practice-exam-dumps.html> (92 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Which two storage efficiencies are enabled by default on NetApp AFF systems? (Choose two.)

- A. Inline deduplication
- B. Inline compression
- C. postprocess compaction
- D. postprocess zero block detection

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 18

Which command parameter will result in a thin-provisioned LUN?

- A. -space-allocation enabled
- B. -space-guarantee volume
- C. -space-guarantee none
- D. -space-reservation disabled

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

Exhibit.

Network Interfaces

Buttons: + Create, Edit, Delete, Status, Migrate, Send to Home, Refresh

Interface Name	Storage Virtual Machine (SVM)	IP Address/WWPN	Current P...	Home Port	Data Protocol Access
epic_2_n1_2a	epic_2	20:2b:00:a0:98:e2:27:ce	A800_1:2a	Yes	fc_nume
epic_2_n2_2a	epic_2	20:2a:00:a0:98:e2:27:ce	A800_2:2a	Yes	fc_nume
epic_fcp_n1_2a	epic_fcp	20:05:00:a0:98:e2:27:ce	A800_1:2a	Yes	fc_p
epic_fcp_n1_3a	epic_fcp	20:07:00:a0:98:e2:27:ce	A800_1:3a	Yes	fc_p
epic_fcp_n2_2a	epic_fcp	20:25:00:a0:98:e2:27:ce	A800_2:2a	Yes	fc_p
epic_fcp_n2_3a	epic_fcp	20:39:00:a0:98:e2:27:ce	A800_2:3a	Yes	fc_p
epic_1_n1_2a	epic_1	20:28:00:a0:98:e2:27:ce	A800_1:2a	Yes	fc_nume
epic_1_n2_2a	epic_1	20:29:00:a0:98:e2:27:ce	A800_2:2a	Yes	fc_nume
epic_2_n1_3a	epic_2	20:37:00:a0:98:e2:27:ce	A800_1:3a	Yes	fc_nume
epic_2_n2_3a	epic_2	20:38:00:a0:98:e2:27:ce	A800_2:3a	Yes	fc_nume
A800_1_fc_if_1	storage_eff	20:14:00:a0:98:e2:27:ce	A800_1:2c	Yes	fc_p
A800_2_fc_if_1	storage_eff	20:15:00:a0:98:e2:27:ce	A800_2:2c	Yes	fc_p

Referring to the exhibit, what would cause a customer to have an Issue with SVM epic_fcp when mapping a namespace to a host?

- A. NVMe is not licensed on the cluster.
- B. FC switch zoning has not been done correctly.
- C. FC has not been licensed on the cluster.
- D. NVMe Is not configured for the SVM.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 20

At which level is inline data compaction applied on an ONTAP AFF system?

- A. node
- B. aggregate
- C. volume
- D. SVM

Answer: C (LEAVE A REPLY)

NEW QUESTION: 21

You have deployed an ONTAP C190 cluster enabled with the iSCSI protocol. Your manager asks for available options to protect the data on your cluster using the native SnapMirror technology.

In this scenario, which two products would satisfy this request? (Choose two.)

- A. Azure NetApp Files
- B. Cloud Volumes Service for AWS
- C. Cloud Volumes ONTAP
- D. ONTAP Select

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 22

Your company requests that the monthly performance data of your ONTAP 9.8 cluster be exported to a CSV file for further processing. In this scenario, which three NetApp products satisfy this requirement? (Choose three.)

- A. ONTAP System Manager
- B. Active IQ Config Advisor
- C. Active IQ OneCollect
- D. Active IQ Unified Manager
- E. Cloud Insights

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 23

Your company requests that the monthly performance data of your ONTAP 9.8 cluster be exported to a CSV file for further processing. In this scenario, which three NetApp products satisfy this requirement? (Choose three.)

- A. Cloud Insights
- B. ONTAP System Manager
- C. Active IQ Config Advisor
- D. Active IQ OneCollect
- E. Active IQ Unified Manager

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

After deploying an ONTAP 9.8 cluster, you want to disable the unused Ethernet ports. In this scenario, which two methods would accomplish this task? (Choose two.)

- A. Use ONTAP System Manager.
- B. Use Active IQ Config Advisor.
- C. Use Active IQ Unified Manager.
- D. Use the command line interface.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

You are asked by your network engineering team to make sure that your NetApp cluster is configured to run LACP on its network ports. Which network component satisfies this request?

- A. broadcast domain
- B. VLAN
- C. Interface group
- D. failover group

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

Windows 2019 reports 500 GB of free space on a disk; however, on the storage side, the LUN has 0 bytes free. When the host deletes files on the disk, auto reclaim on the thin-provisioned LUN does not occur.

In this scenario, which action should you take to enable space reclamation?

- A. Set the space allocation option to enable.
- B. Set the space allocation option to disable.

- C. Enable space guarantees on the volume.
- D. Enable space guarantees on the LUN.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

You have a mix of FAS8200s and AFF A700s in your environment.

In this scenario, which two statements are true? (Choose two.)

- A. Inline data compaction is disabled by default on FAS systems.
- B. Inline aggregate-level deduplication is enabled by default on FAS systems.
- C. Inline data compaction is disabled by default on AFF systems.
- D. Inline aggregate-level deduplication is enabled by default on AFF systems.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

You have a remote FlexCache storage device that is running on ONTAP Select 9.8 software. The cache origin volume is on an FAS8700 that is running ONTAP 9.8 software. The WAN connection dropped, and the FlexCache volume is in disconnected mode.

In this scenario, which LIFs would you ping to troubleshoot the disconnect?

- A. management
- B. Intercluster
- C. data
- D. cluster

Answer: (SHOW ANSWER)

https://docs.netapp.com/ontap-9/topic/com.netapp.doc.pow-fc-mgmt/GUID-AE9CC59E-BE3B-4185-B018-E3F089CB53B0.html?cp=17_0_2

NEW QUESTION: 29

You are the administrator of an ONTAP 9.8 cluster. Your company wants to know how many files are in the NAS volumes of the cluster and how old these files are.

Which two tools fulfill this requirement? (Choose two.)

- A. ONTAP System Manager
- B. Active IQ Unified Manager
- C. ONTAP CLI
- D. Active IQ Config Advisor

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 30

What are two ideal use cases for FlexCache volumes? (Choose two.)

- A. media rendering
- B. write-heavy workloads at the cache
- C. Web hosting
- D. virtualization workloads

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 31

Which two statements are true about NVMe? (Choose two.)

- A. Namespaces are mapped to subsystems.
- B. NQNs are added to subsystems.
- C. NQNs are added to namespaces.
- D. LUNs are mapped to Initiator groups.

Answer: ([SHOW ANSWER](#))

Valid NS0-162 Dumps shared by TrainingDump.com for Helping Passing NS0-162 Exam! TrainingDump.com now offer the **newest NS0-162 exam dumps**, the TrainingDump.com NS0-162 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com NS0-162 dumps with Test Engine here: <https://www.trainingdump.com/NetworkAppliance/NS0-162-practice-exam-dumps.html> (92 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

Exhibit.

```
cluster1::> volume show -vserver svm2_cluster1 -volume data -fields space-guarantee, fractional-reserve, auto-size-mode, space-alloc
vserver      volume autosize-mode space-alloc space-guarantee fractional-reserve
-----
svm2_cluster1 data      grow          none          none          0%

cluster1::> lun show -vserver svm2_cluster1 -volume data -fields space-reserve, space-allocation
vserver      path          space-reserve space-allocation
-----
svm2_cluster1 /vol/data/lun disabled      disabled
```

You have a 2-node NetApp FAS2750 ONTAP cluster. You create a new 20-GB LUN in a new 100-GB volume and write 10 GB of data to the LUN. No storage efficiencies are enabled for the volume or aggregate.

Referring to the exhibit, which two statements are true? (Choose two.)

- A. ONTAP reports the volume as 10% full.
- B. ONTAP reports that the volume is using 100 GB of its containing aggregate.
- C. ONTAP reports the volume as 20% full.
- D. ONTAP reports that the volume is using 10 GB of its containing aggregate.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 33

Exhibit

The screenshot displays three panels from the ONTAP System Manager interface. The 'IPspaces' panel shows a table with 'Cluster' (Broadcast Domains) and 'Default' (Storage VMS: svm1_cluster1, svm2_cluster1). The 'Broadcast Domains' panel shows a table with 'Default' (1500 MTU) and 'IPspaces Default' (cluster1-01: e0a, e0b; cluster1-02: e0e, e0c). The 'Network Interfaces' panel shows a table with columns: Name, Status, Storage VM, IPspace, Address, Current Node, Current P..., and Protocols. The table lists four interfaces: if_svm1_cluster1_881, cluster_mgmt, if_svm2_cluster1_4, and if_svm2_cluster1_978.

Name	Status	Storage VM	IPspace	Address	Current Node	Current P...	Protocols
if_svm1_cluster1_881	✓	svm1_cluster1	Default	192.168.0.132	cluster1-01	e0d	
cluster_mgmt	✓		Default	192.168.0.101	cluster1-01	e0c	
if_svm2_cluster1_4	✓	svm2_cluster1	Default	192.168.0.135	cluster1-01	e0e	iSCSI
if_svm2_cluster1_978	✓	svm2_cluster1	Default	192.168.0.136	cluster1-01	e0c	iSCSI

You have Installed a new ONTAP 9.8 cluster and want to move the e0e and e0c ports into a new broadcast domain. Referring to the exhibit, which action satisfies this requirement?

- A. Use the broadcast-domain split command.
- B. Use the broadcast-domain= merge command.
- C. Use the irrDadcast-domain create command
- D. Use ONTAP System Manager to create a new broadcast domain.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

You want to add SSDs to existing HDD aggregates.

Which NetApp tool helps you to validate how many SSDs would Improve performance?

- A. ONTAP System Manager
- B. Active IQ Unified Manager
- C. Automated Workload Analyzer
- D. OnCommand Workflow Automation

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

You need to Increase the number of files that can be created In a volume. Which two methods enable you to achieve this goal? (Choose two.)

- A. Increase the number of files permitted on the volume.
- B. Set the fractional reserve to "0".
- C. Set the space guarantee to 'volume'.
- D. Increase the size of the volume.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Which security method would be used to authenticate targets and Initiators In an ISCSI environment?

- A. LDAP
- B. NIS
- C. /etc/hosts
- D. CHAP

Answer: **([SHOW ANSWER](#))**

NEW QUESTION: 37

Click the Exhibit button.

You are configuring your tape backup software to authenticate to your single-node cluster by using NDMP.

Referring to the exhibit, which LIF do you use to connect?

- A. data_lif1
- B. cluster1-01_mgmt1
- C. cluster_mgmt
- D. cluster1-01_ic1

Answer: **D ([LEAVE A REPLY](#))**

NEW QUESTION: 38

You are configuring an ONTAP cluster to use NV Me/FC.

In this scenario, which two statements are true? (Choose two.)

- A. Create an SVM with NV Me enabled.
- B. Create and start the FC service.
- C. Create an SVM with both NV Me and FC protocols enabled.
- D. Create NV Me LIFs on FC target ports.

Answer: **A,D ([LEAVE A REPLY](#))**

NEW QUESTION: 39

You have an Internet of Things (IoT) application that will use SMB shares on a remote ONTAP Select Instance. There are no name services and only a local network is available at the remote IoT site.

In this scenario, which two features are supported by ONTAP software for the IoT application? (Choose two.)

- A. SMB3 Witness protocol
- B. Active Directory users
- C. SMB Server in workgroup mode
- D. CIFS local users

Answer: **B,C ([LEAVE A REPLY](#))**

NEW QUESTION: 40

You have created a new FlexCache cache volume and want to warm the cache before clients access the cache volume for the first time. In this scenario, how would you accomplish this task?

- A. Prepopulate the cache volume with data from the origin volume using the flexcache prepopulate start command.

- B. Enable block-level Invalidation using the volume flexcache origin config modify command.
- C. Copy the data from the origin volume to the cache volume with the NetApp XCP Migration Tool.
- D. Synchronize the origin and cache first with the volume flexcache sync-properties command.

Answer: (SHOW ANSWER)

<https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.pow-fc-mgmt%2FGUID-E878AB6F-2A64-4E66-B865-6C11A0962AA9.html>

NEW QUESTION: 41

Exhibit.

```
cluster::> network interface show -vserver SVM_A -fields data-protocol
vserver      lif      data-protocol address
-----
SVM_A        lif-SVM-A  nfs,cifs  10.0.1.250

cluster::> volume show -fields vserver,volume,aggregate,policy,junction-path -vserver SVM_A
vserver volume      aggregate policy      junction-path
-----
SVM_A    SVM_A_root aggr1      policy-vol_a /
SVM_A    VOL_A      aggr2      policy-vol_a -
2 entries were displayed.

cluster::> export-policy rule show -vserver SVM_A -policyname policy-vol_a
Policy      Rule      Access Client      RO
Vserver     Name      Index  Protocol Match      Rule
-----
SVM_A       policy-vol_a  1      any      10.0.1.0/24      any
```

A Linux host with the 10.0.1.24 IP address is unable to mount the VOL_A volume using NFSv3. Referring to the exhibit, what is the problem?

- A. The host IP address does not match the export policy rule.
- B. The volume is in read-only.
- C. The volume is not mounted in the namespace.
- D. The logical Interface does not allow the NFSv3 protocol.

Answer: (SHOW ANSWER)

The volume is not mounted in the namespace. <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.cdottamg-nfs%2FGUID-8E400D78-B405-4682-8F33-143783F2D580.html>

Even if the volume was read only it could be mounted - also the client IP is in the desired range and LIF is configured for NFS.

NEW QUESTION: 42

You have finished deploying a NetApp AFF A400 cluster.

Before you place the array into production, which two tools should be used to validate the deployment? (Choose two.)

- A. Active IQ Web site
- B. OnCommand Workflow Automation
- C. Active IQ Unified Manager
- D. Active IQ Config Advisor

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 43

You have a 4-node cluster with a NetApp AFF A400 HA pair and a NetApp FAS8700 HA pair running NetApp ONTAP 9.8 software. You are required to set up 2-factor authentication for the ONTAP CU.

Which two authentication methods are required in this scenario? (Choose two.)

- A. password
- B. Security Assertion Markup Language (SAML)
- C. IP security (IPsec)
- D. public key

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 44

Your company has purchased two NetApp AFF A400 HA pairs. During deployment, how many root aggregates are created?

- A. 2
- B. 4
- C. 6
- D. 8

Answer: B (LEAVE A REPLY)

NEW QUESTION: 45

Exhibit.

```
Cluster1::> ifgrp show
```

Node	Port IfGrp	Distribution Function	MAC Address
Node1	a0a	ip	02:a0:98:f1:2e:be
Node2	ala	ip	02:a0:98:f1:21:88

2 entries were displayed.

```
Cluster1::> network port show -node Node1 -port e0c,e0d -fields mac,health-status
```

node	port	mac	health-status
Node1	e0c	00:a0:98:f1:2e:b2	degraded
Node1	e0d	00:a0:98:f1:2e:b3	healthy



You have received an alert from Active IQ Unified Manager that interface eOc has gone offline. Network engineering asks for the corresponding MAC address for the port that has a problem.

Referring to the exhibit, which MAC address would you supply to the engineering team?

- A. 02:a0:98:f1:21:88
- B. 02:a0:98:f1:2e:be
- C. 00:a0:98:f1:2e:b2
- D. 00:a0:98:f1:2e:b3

Answer: D (LEAVE A REPLY)

NEW QUESTION: 46

What are three firewall policies? (Choose three.)

- A. node

- B. data
- C. mgmt
- D. intercluster
- E. cluster

Answer: ([SHOW ANSWER](#))

Valid NS0-162 Dumps shared by TrainingDump.com for Helping Passing NS0-162 Exam! TrainingDump.com now offer the **newest NS0-162 exam dumps**, the TrainingDump.com NS0-162 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com NS0-162 dumps with Test Engine here: <https://www.trainingdump.com/NetworkAppliance/NS0-162-practice-exam-dumps.html> (92 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

Which two storage efficiency features are enabled by default on AFF systems? (Choose two.)

- A. volume-level Inline deduplication
- B. aggregate-level compression
- C. LUN-level compression
- D. aggregate-level inline deduplication

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 48

You have an ESXI cluster with VMware VMFS LUNs on an AFF A400 system. After troubleshooting performance Issues, you determine that timeout best practices are not set on the hosts.

In this scenario, which NetApp tool would apply the best practice settings?

- A. Virtual Storage Console (VSC)
- B. SnapCenter Plug-in for VMware vSphere
- C. SnapManager
- D. SAN Host Utilities

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

You have commissioned a new AFF A250 MetroCluster over IP configuration. Your company requires an automatic switchover to the surviving site In case of a site disaster.

What do you need to configure to fulfill this requirement?

- A. cluster failover
- B. ONTAP Mediator service
- C. storage failover
- D. automated unplanned switchover

Answer: B ([LEAVE A REPLY](#))

Reference:

Starting with ONTAP 9.7, the ONTAP Mediator service can assist the MetroCluster IP configuration in performing an automatic unplanned switchover by providing a physically separate repository for status information.

NEW QUESTION: 50

You are asked to deploy a 2-node ONTAP Select cluster. The physical hardware is located in two different locations and you want the aggregates mirrored synchronously between the two data centers. You must ensure high availability and automated switchover. In this scenario, which two steps would you take to fulfill this requirement? (Choose two.)


- A. Ensure that the ONTAP Select Deploy VM resides at a third location other than the two data centers.
- B. Install the SnapMirror Sync license on the cluster.
- C. Use ONTAP Mediator service to make sure that you have a quorum for the two nodes.
- D. Use ONTAP Select Deploy to install the nodes on the physical hardware.

Answer: A,C (LEAVE A REPLY)

https://docs.netapp.com/us-en/ontap-select/reference_plan_ots_two_node.html When a cluster consists of two nodes, it is not possible to achieve the quorum required when a node fails or loses communication. To resolve these types of split-brain situations, every instance of the ONTAP Select Deploy utility includes a mediator service. If you have one or more active two-node clusters, the ONTAP Select Deploy virtual machine administering the clusters must be running at all times.

NEW QUESTION: 51

Exhibit.



You are adding a NetApp AFF A400 system to an existing 4-node cluster and want to know which ports you would use to expand your cluster.

Referring to the exhibit, which tool would you use to accomplish this task?

- A. Active 1Q Unified Manager
- B. NetApp Interoperability Matrix (IMT)
- C. NetApp Hardware Universe (HWU)
- D. Active IQ Conflg Advisor

Answer: (SHOW ANSWER)

NEW QUESTION: 52

After attempting to perform an ONTAP upgrade. It falls during the pre-check. In this scenario, what would cause this problem?

- A. offline volume
- B. offline data LIF
- C. Idle SnapMirrors
- D. encrypted volumes

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

Exhibit

```
ipp-na01::> (network interface show)
Vserver      Logical      Status      Network      Current      Current      Is
Interface    Admin/Oper   Address/Mask Node          Port         Home
-----
wldgt_vml    wldgt_vml_lif
                        up/up       192.168.106.11/24 ipp-na01-01  a0a-229 false
wldgt_vml_mgmt
                        up/up       10.40.105.15/24   ipp-na01-01  a0a-228 true
2 entries were displayed.

ipp-na01::> broadcast-domain show -ports ipp-na01-01:a0a-229
(network port broadcast-domain show)
IPspace Broadcast
Name      Domain Name  MTU  Port List
-----
wldgt     wldgt_192.168.106.0/24
                        9000
                        ipp-na01-04:a0a-229 complete
                        ipp-na01-03:a0a-229 complete
                        ipp-na01-01:a0a-229 complete
                        ipp-na01-02:a0a-229 complete

ipp-na01::> net route show -vserver wldgt_vml
(network route show)
There are no entries matching your query.
```

You need to provision a new NFS datastore for a vSphere cluster. You configure a new SVM and a new volume on your ONTAP cluster. You successfully mount the datastore to your vSphere cluster. You are able to upload and download a test 1 KB file to and from the datastore. You can also successfully ping the NFS LIF (192.168.106.11) from the vSphere hosts without any packet loss. However, you are unable to upload ISO Images or migrate VMs to the new datastore.

Referring to the exhibit, which action would correct the problem?

- A. Change the MTU of the VM kernel ports on the vSphere hosts to 9,000 bytes.
- B. Enable jumbo frames on the network switches.
- C. Add a default gateway to the SVM.
- D. Migrate the LIF to its home port.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Your company is merging with another company. You are asked to setup your AFFA 400 cluster to support two networks that have the same overlapping 192.168.1.0/ 24 subnet.

In this scenario, what must you create, to enable the same subnet with overlapping IPs on the same cluster?

- A. failover group
- B. subnet
- C. IPspace
- D. broadcast domain

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 55

You want to create a new SVM for serving NFS data using the Storage Virtual Machine (SVM) Setup wizard.

In this scenario, which object is created automatically during the setup process?

- A. a data volume named after the SVM with the suffix_nfs_vol1
- B. an export policy named after the SVM with the suffix_nfs_exp1
- C. ai data LIF named after the SVM with the suffix_nfs_lif
- D. a data aggregate named after the SVM with the suffix_nfs_aggr1

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 56

You are asked to investigate possible solutions for increasing the performance of a read-intensive, NFSv3 workload in your FAS environment.

Which two NetApp technologies would satisfy this requirement? (Choose two.)

- A. FlexVol
- B. FlexCache
- C. FabricPool
- D. Flash Pool

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 57

Your company requires WORM archiving of data on their ONTAP cluster. The data must not be able to be deleted even by an administrator.

Which ONTAP feature fulfills this requirement?

- A. SnapLock Compliance
- B. SnapMirror software
- C. SnapLock Enterprise
- D. SnapVault software

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

An administrator has added two new hosts in an FC connected virtual environment. However, no existing datastores or LUNs are visible to these two new hosts even after a rescan.

In this scenario, which two statements are correct? (Choose two.)

- A. Verify that FC is licensed on the ONTAP cluster.
- B. Verify that the host initiators are added to the correct igroups.

- C. Verify that the LUNs are online and created with the correct OS type.
- D. Verify that correct zoning is in place between the hosts and storage.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 59

You created a new SVM with two NFS data volumes. You have a Linux host on the same subnet as the SVM that is able to NFS mount, however a Linux host on a different subnet is not able to NFS mount.

You confirmed that the export policy rules are correct.

In this scenario, which configuration will solve the mount failure?

- A. The SvM default network route is missing.
- B. NFS auditing is not enabled on the SVM.
- C. NTP is not configured on the SVM.
- D. The NFS server is not configured on the SVM.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 60

When you set up an ONTAP cluster, which two SVM types are automatically created? (Choose two.)

- A. node
- B. data
- C. admin
- D. cluster

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 61

Which two types of capacity tiers are supported with FabricPool aggregates In ONTAP 9.8? (Choose two.)

- A. NFS Export
- B. S3 Object Store
- C. StorageGRID Object Storage
- D. SWIFT Object Store

Answer: B,C ([LEAVE A REPLY](#))

Valid NS0-162 Dumps shared by TrainingDump.com for Helping Passing NS0-162 Exam! TrainingDump.com now offer the **newest NS0-162 exam dumps**, the TrainingDump.com NS0-162 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com NS0-162 dumps with Test Engine here: <https://www.trainingdump.com/NetworkAppliance/NS0-162-practice-exam-dumps.html> (92 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

Exhibit

```
::> volume autosize -vserver SVM1 -volume vol1 -shrink-threshold-percent 60 -mode grow_shrink  
vol autosize: Flexible volume "SVM1:vol1" autosize settings UPDATED.  
Volume modify successful on volume: vol1
```

Referring to the exhibit, when will NAS vol1 shrink in size?

- A. when the volume is 60% full
- B. when the aggregate containing vol1 is 40% full
- C. when the aggregate containing vol1 is 60% full
- D. when the volume is 40% full

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 63

You have a 50 TO FlexGroup volume that is serving NFSv3 on a FAS8300 HA pair that is running ONTAP 9.8 software of files. A Linux du command runs for days to count files.

In this scenario, which native ONTAP feature will report real-time file counts?

- A. File System Analytics
- B. volume autosize
- C. Quality of Service
- D. Logical Space Reporting

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 64

A node fails on an HA configuration. A successful failover occurs, but your clients that are using the SMB protocol complain that they are not able to access their data.

In this scenario, what caused the problem?

- A. The disk ownership did not transfer correctly.
- B. The quota for the qtree has been reached.
- C. The surviving node is not licensed for CIFS.
- D. One of the cluster Interconnect ports on the surviving node failed.

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 65

A customer uses Active IQ Unified Manager to configure SnapMirror relationships.

In this scenario, which statement is true?

- A. Active 1Q Unified Manager and OnCommand WFA cannot be installed on or work with the same cluster.
- B. Automation works directly through Active 1Q Unified Manager and later versions.
- C. Active IQ Unified Manager uses the OnCommand WFA API.
- D. Active IQ Unified Manager and OnCommand WFA have licensing dependencies.

Answer: [C \(LEAVE A REPLY\)](#)

NEW QUESTION: 66

Which statement is correct about Temperature Sensitive Storage Efficiency (TSSE)?

- A. TSSE Is enabled automatically on newly created thick provisioned volumes.
- B. TSSE operations on ONTAP Select are automatically throttled depending on whether data is hot or cold.
- C. TSSE operations on a AFF array are automatically throttled depending on whether data Is hot or cold.
- D. TSSE operations on Cloud Volumes ONTAP are automatically throttled depending on whether data is hot or cold.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 67

You have a FAS8200 serving a dataset with a high volume of random reads. The dataset is highly optimized by deduplication and compression.

In this scenario, which compression setting provides both high performance and storage efficiency?

- A. secondary compression
- B. compression disabled
- C. adaptive compression
- D. aggregate compression

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 68

You want to configure Active Directory domain controller access for NetApp ONTAP cluster administration. In this scenario, which two actions would accomplish this task? (Choose two.)

- A. Configure an authentication tunnel through an admin SVM.
- B. Use the vservar active-directory create command to create a computer account on the domain for a non-CIFS SVM.
- C. Use the vservar active-directory create command to create a computer account on the domain for a CIFS SVM.
- D. Configure an authentication tunnel through an existing CIFS SVM.

Answer: B,D ([LEAVE A REPLY](#))

<https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.pov-adm-auth-rbac%2FGUID-BC7B1934-DDE6-4AFB-A319-6C85D1ADACB6.html>

Configuring an authentication tunnel

If you have already configured a CIFS server for a data SVM, you can use the security login domain-tunnel create command to configure the SVM as a gateway, or tunnel, for AD access to the cluster.

Creating an SVM computer account on the domain

If you have not configured a CIFS server for a data SVM, you can use the vservar active-directory create command to create a computer account for the SVM on the domain.

NEW QUESTION: 69

When you perform an upgrade using ONTAP System Manager 9.8, which two statements are true? (Choose two.)

- A. The images will be automatically uploaded to the cluster by using the ONTAP System Manager interface from the NetApp Support site.
- B. The Images must be manually uploaded to the cluster by using the ONTAP System Manager interface.
- C. The latest available Images will appear In the ONTAP System Manager interface.
- D. The update history is available within the ONTAP System Manager interface.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 70

After deploying an ONTAP 9.8 cluster, you want to disable the unused Ethernet ports. In this scenario, which two methods would accomplish this task? (Choose two.)

- A. Use ONTAP System Manager.
- B. Use Active IQ Config Advisor.
- C. Use Active IQ Unified Manager.
- D. Use the command line interface.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 71

You want to add SSDs to existing HDD aggregates.

Which NetApp tool helps you to validate how many SSDs would Improve performance?

- A. Automated Workload Analyzer
- B. Active IQ Unified Manager
- C. OnCommand Workflow Automation
- D. ONTAP System Manager

Answer: C (LEAVE A REPLY)

NEW QUESTION: 72

Your company has purchased two NetApp AFF A400 HA pairs. During deployment, how many root aggregates are created?

- A. 4
- B. 6
- C. 8
- D. 2

Answer: D (LEAVE A REPLY)

NEW QUESTION: 73

Exhibit.

```
cluster::> network interface show -vserver SVM_A -fields data-protocol
vserver      lif      data-protocol address
-----
SVM_A        lif-SVM-A  nfs,cifs    10.0.1.250

cluster::> volume show -fields vserver,volume,aggregate,policy,junction-path -vserver SVM_A
vserver volume      aggregate policy      junction-path
-----
SVM_A    SVM_A_root aggr1    policy-vol_a /
SVM_A    VOL_A      aggr2    policy-vol_a -
2 entries were displayed.

cluster::> export-policy rule show -vserver SVM_A -policyname policy-vol_a
Policy      Rule      Access Client      RO
Name        Index    Protocol Match
-----
SVM_A      policy-vol_a  1      any      10.0.1.0/24      any
```

A Linux host with the 10.0.1.24 IP address is unable to mount the VOL_A volume using NFSv3. Referring to the exhibit, what is the problem?

- A. The host IP address does not match the export policy rule.
- B. The volume is in read-only.

- C. The volume is not mounted In the namespace.
- D. The logical Interface does not allow the NFSv3 protocol.

Answer: (SHOW ANSWER)

The volume is not mounted in the namespace. <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.cdote-famg-nfs%2FGUID-8E400D78-B405-4682-8F33-143783F2D580.html> Even if the volume was read only it could be mounted - also the client IP is in the desired range and LIF is configured for NFS.

NEW QUESTION: 74

What is the default RAID policy for aggregates created with 10 TB disk drives?

- A. RAID0
- B. RAID4
- C. RAID-DP
- D. RAID-TEC

Answer: D (LEAVE A REPLY)

NEW QUESTION: 75

A volume is set to use Adaptive QoS with the default policy.

In this scenario, which change would affect the QoS throughput ceiling?

- A. Data is added to the volume.
- B. Disks are added to the volume's aggregate.
- C. More clients access the volume.
- D. The volume is resized.


Answer: D (LEAVE A REPLY)

Reference:

https://kb.netapp.com/Advice_and_Troubleshooting/Data_Storage_Software/ONTAP_OS/What_is_Adaptive_QoS_and_how_does_it_work

NEW QUESTION: 76

Exhibit.



You are caching on-premises ONTAP volumes into the cloud with Cloud Volumes ONTAP as shown in the exhibit. In this scenario, which two protocols are supported? (Choose two.)

- A. SMB
- B. NVMe
- C. iSCSI
- D. NFS

Answer: C,D (LEAVE A REPLY)

Reference:

https://cloud.netapp.com/hubfs/ONTAP_Cloud_FAQs-final.pdf

Valid NS0-162 Dumps shared by TrainingDump.com for Helping Passing NS0-162 Exam! TrainingDump.com now offer the **newest NS0-162 exam dumps**, the TrainingDump.com NS0-162 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com NS0-162 dumps with Test Engine here: <https://www.trainingdump.com/NetworkAppliance/NS0-162-practice-exam-dumps.html> (92 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

Exhibit

```
cluster1::> network interface create -vservers vs0 -lif datalif1 -role data -home-node node0 -home-port e0c -address 192.0.2.130 -netmask 255.255.255.0 -failover-policy broadcast-domain-wide -firewall-policy data

cluster1::> network route show
(network route show)
Server      Destination      Gateway          Metric
-----
node1       0.0.0.0/0        10.61.208.1      20
node2       0.0.0.0/0        10.61.208.1      20
vs0         0.0.0.0/0        10.61.208.1      20
3 entries were displayed.
```

After creating a new LIF called datalif1 on SVM vs0, you notice connectivity issues to the newly created LIF, as shown in the exhibit. You have verified that the new LIF is online and the network team is able to see the MAC address on the switches.

Referring to the exhibit, what would cause connectivity issues?

- A. The netmask needs to be modified to a /16 network.
- B. The home port needs to be modified to port e0d.
- C. The route needs to be modified to reflect the correct gateway.
- D. The route metric needs to be modified to a metric of 30.

Answer: (SHOW ANSWER)

NEW QUESTION: 78

You have a FlexClone parent volume with several child volumes.

In this scenario, which statement is true when you move the FlexClone parent volume to another aggregate?

- A. A temporary FlexClone parent remains on the original aggregate.
- B. All FlexClone child volumes are also moved.

- C. The volume move operation fails.
- D. All FlexClone child volumes are split and are no longer FlexClone volumes.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 79

All SMB users are reporting that their network share performance is slow on a new NetApp FAS500f HA pair.

You determine that the users have converged network adapters (CNAs) with flow control enabled and no option to disable.

In this scenario, which two flow control settings are recommended on the NetApp ONTAP physical ports?

(Choose two.)

- A. Disable flow control end-to-end on data network ports.
- B. Disable flow control end-to-end on cluster network ports.
- C. Enable flow control end-to-end on cluster network ports.
- D. Enable flow control end-to-end on data network ports.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 80

You want to enable a management LIF to restrict NTP to the 192.168.1.0/24 subnet.

In this scenario, which two actions are required to accomplish this task? (Choose two.)

- A. Create a firewall policy.
- B. Create a failover policy.
- C. Assign a policy to the management LIF.
- D. Assign a policy to the NTP server.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 81

After deploying an AFF A400, you want to deploy a storage virtual machine (SVM) to serve SMB data.

a. Which three conditions must exist in this scenario? (Choose three.)

- A. You must have encryption enabled on the root volume.
- B. You must have configured the export policies.
- C. You must synchronize the cluster time.
- D. You must have sufficient space for the root volume.
- E. You must have a non-root aggregate in the online state.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 82

Which configuration is supported using NetApp's All SAN Array (ASA)?

- A. 24-node cluster
- B. 2-node cluster
- C. 12-node cluster
- D. single node cluster

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 83

Exhibit.

Miss-----

The availability of the remote cluster in the peering relationship shows "Partial." Referring to the exhibit, what is the reason for this status message?

- A. The remote cluster does not have its cluster license applied properly.
- B. The local cluster is unable to authenticate successfully to the remote cluster.
- C. Some nodes In the local cluster are not able to contact some or all nodes in the remote cluster.
- D. The Intercluster LIFs on the local cluster are unavailable and not able to communicate to the remote cluster.

Answer: (SHOW ANSWER)

Explanation

Some nodes in the local cluster are not able to contact some or all nodes in the remote cluster.

NEW QUESTION: 84

Exhibit.

```
cluster::> network interface show -vserver SVM_A -fields data-protocol
vserver      lif      data-protocol  address
-----
SVM_A        lif-SVM-A  nfs,cifs      10.0.1.250

cluster::> volume show -fields vserver,volume,aggregate,policy,junction-path -vserver SVM_A
vserver volume      aggregate policy      junction-path
-----
SVM_A    SVM_A_root aggr1      policy-vol_a /
SVM_A    VOL_A      aggr2      policy-vol_a -
2 entries were displayed.

cluster::> export-policy rule show -vserver SVM_A -policyname policy-vol_a
Vserver      Policy      Rule      Access      Client      RO
-----
SVM_A        policy-vol_a  1      any      10.0.1.0/24  any
```

A Linux host with the 10.0.1.24 IP address is unable to mount the VOL_A volume using NFSv3. Referring to the exhibit, what is the problem?

- A. The volume is in read-only.
- B. The logical Interface does not allow the NFSv3 protocol.
- C. The host IP address does not match the export policy rule.
- D. The volume is not mounted In the namespace.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 85

Auditing has been enabled and configured on your ONTAP storage system. You have also created audit policies to monitor files and folders. Auditing has been running for over six months. You want to ensure that there have been no improper file access attempts. How would you accomplish this task?

- A. Import EVTX files Into Microsoft Event Viewer.
- B. Use Microsoft System Center to read EVTX files.
- C. Use the Active IQ Web site to read EVTX files.
- D. Import EVTX files into Microsoft SQL.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 86

Which two SVM types does a cluster contain after cluster creation? (Choose two.)

- A. admin
- B. data
- C. peer
- D. dp-destination

Answer: A,B ([LEAVE A REPLY](#))

Valid NS0-162 Dumps shared by TrainingDump.com for Helping Passing NS0-162 Exam! TrainingDump.com now offer the **newest NS0-162 exam dumps**, the TrainingDump.com NS0-162 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com NS0-162 dumps with Test Engine here: <https://www.trainingdump.com/NetworkAppliance/NS0-162-practice-exam-dumps.html> (**92** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)