


Oracle.1Z0-1067-21.v2022-06-26.q44

Exam Code:	1Z0-1067-21
Exam Name:	Oracle Cloud Infrastructure 2021 Cloud Operations Associate
Certification Provider:	Oracle
Free Question Number:	44
Version:	v2022-06-26
# of views:	2337
# of Questions views:	1489
https://www.dumpsfiles.com/files/Oracle/1Z0-1067-21/Oracle.1Z0-1067-21.v2022-06-26.q44	

NEW QUESTION: 1

Your company has restructured its HR departments. As part of this change, you also need to reorganize compartments within Oracle Cloud Infrastructure (OCI) to align them to the company's new organizational structure. The following change is required:



Compartment Team_x needs to be moved under a new parent compartment, Project_B The tenancy has the following policies defined for compartments Project_A and Project_B: Policy1: Allow group G1 to manage instance-family in compartment HR:Project_A Policy2: Allow group G2 to manage instance-family in compartment HR:Project_B Which two statements describe the impacts after the compartment Team_x is moved? (Choose two.)

- A. Group G1 can now manage instance-families in compartment Project_A but not in compartment Team_x
- B. Group G2 can now manage instance-families in compartment Project_A but not in compartment Team_x
- C. Group G1 can now manage instance-families in compartment Project_A, compartment Project_B and compartment Team_X
- D. Group G2 can now manage instance-families in compartment Project_B, compartment Project_A and compartment Team_X

E. Group G2 can now manage instance-families in compartment Project_B and compartment Team_X

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Your team implemented a SaaS application that requires a whole system deployment for each new customer. The infrastructure provisioning is already automated via Terraform, and now you have been asked to develop an Ansible playbook to centralize configuration file management and deployment.

What is the most effective way to ensure your playbooks are utilizing up-to-date and accurate inventory? (Choose the best answer.)

- A. Implement a Command Line Interface script to list all the resources and run it within Ansible to generate a dynamic inventory list.
- B. Download the dynamic inventory script provided by Oracle Cloud Infrastructure and include it in the playbook invocation command.
- C. Export an inventory list from the Oracle Cloud Infrastructure Web console.
- D. Export an inventory list using Terraform apply command.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

You have been asked to investigate a potential security risk on your company's Oracle Cloud Infrastructure (OCI) tenancy. You decide to start by looking through the audit logs for suspicious activity.

How can you retrieve the audit logs using the OCI Command Line Interface (CLI)? (Choose the best answer.)

- A. `oci audit event list --start-time $start-time --compartment-id $compartment-id`
- B. `compartment-id $compartment-id`
`oci audit event list --start-time $start-time --end-time $end-time --tenancy-`
- C. `id $tenancy-id`
- D. `oci audit event list --start-time $start-time --end-time $end-time --`

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 4

You have created a group for several auditors. You assign the following policies to the group:

```
Allow group Auditors to inspect all-resources in tenancy
Allow group Auditors to read instances in tenancy
Allow group Auditors to read audit-events in tenancy
```

What actions are the auditors allowed to perform within your tenancy? (Choose the best answer.)

- A. Auditors are able to view all resources in the compartment.
- B. The Auditors can view resources in the tenancy.
- C. Auditors are able to create new instances in the tenancy.

D. The Auditors are able to delete resource in the tenancy.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Your application is using an Object Storage bucket named app-data in the namespace vision, to store both persistent and temporary data. Every week all the temporary data should be deleted to limit the storage consumption.

Currently you need to navigate to the Object Storage page using the web console, select the appropriate bucket to view all the objects and delete the temporary ones.

To simplify the task you have configured the application to save all the temporary data with /temp prefix. You have also decided to use the Command Line Interface (CLI) to perform this operation. What is the command you should use to speed up the data cleanup? (Choose the best answer.)

- A. `oci os object bulk-delete -ns vision -bn app-data --prefix /temp --force`
- B. `oci os object delete app-data in vision where prefix = /temp`
- C. `oci objectstorage bulk-delete -ns vision -bn app-data --prefix /temp --force`
- D. `oci os object delete -ns vision -bn app-data --prefix /temp`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 6

You set up a bastion host in your VCN to only allow your IP address (140.19.2.140) to establish SSH connections to your Compute Instances that are deployed in a private subnet. The Compute Instances have an attached Network Security Group with a Source Type: Network Security Group (NSG), Source NSG: NSG-050504. To secure the bastion host, you added the following ingress rules to its Network Security Group:

However, after checking the bastion host logs, you discovered that there are IP addresses other than your own that can access your bastion host.

What is the root cause of this issue? (Choose the best answer.)

- A. All compute instances associated with NSG-050504 are also able to connect to the bastion host.
- B. A netmask of /32 allows all IP address in the 140.19.2.0 network, other than your IP 140.19.2.140
- C. The port 22 provides unrestricted access to 140.19.2.140 and to other IP address.
- D. The Security List allows access to all IP address which overrides the Network Security Group ingress rules.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

You are asked to deploy a new application that has been designed to scale horizontally. The business stakeholders have asked that the application be deployed in us-phoenix-1.

Normal usage requires 2 OCPUs. You expect to have few spikes during the week, that will require up to 4 OCPUs, and a major usage uptick at the end of each month that will require 8 OCPUs.

What is the most cost-effective approach to implement a highly available and scalable solution? (Choose the best answer.)

- A.** Create an instance pool with a VM.Standard2.1 shape instance configuration. Setup the autoscaling configuration to use 2 availability domains and have a minimum of 2 instances and a maximum of 8 instances.
- B.** Create an instance pool with a VM.Standard2.2 shape instance configuration. Setup the autoscaling configuration to use 2 availability domains and have a minimum of 2 instances, to handle the weekly spikes, and a maximum of 4 instances.
- C.** Create an instance with 1 OCPU shape. Use a CLI script to clone it when more resources are needed.
- D.** Create an instance with 1 OCPU shape. Use the Resize Instance action to scale up to a larger shape when more resources are needed.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

You have recently been asked to take over management of your company's infrastructure provisioning efforts, utilizing Terraform v0.12 to provision and manage infrastructure resources in Oracle Cloud Infrastructure (OCI). For the past few days the development environments have been failing to provision. Terraform returns the following error:

```
Error: Missing item separator

on vcn_peer_lab.tf line 15, in resource "oci_core_security_list" "ManagementSecurityList":
15: tcp_options = [min = "22", max = "22"]

Expected a comma to mark the beginning of the next item.
```

You locate the related code block in the Terraform config and find the following:

```
(11) ingress_security_rules {
(12)     protocol = 6
(13)     source = "0.0.0.0/0"
(14)
(15)     tcp_options = [min = "22", max = "22"]
(16) }
```

Which correction should you make to solve this issue? (Choose the best answer.)

A. Modify line 15 to be the following:

```
tcp_options { min = "22"
max = "22"
}
```

B. Modify line 15 to be the following:

```
tcp_options = {min = "22", max = "22"}
```

C. Place a command at the end of line 16

D. Replace the curly braces '{ }' in lines 11 and 16 with square braces '[]'

Answer: A (LEAVE A REPLY)

NEW QUESTION: 9

You have recently joined a startup company and quickly find that nobody is tracking the amount of money spent on Oracle Cloud Infrastructure (OCI). Seeing an opportunity to help save money you begin creating a solution to better track the cost of resources provisioned by each individual on the team.

Which option allows you to identify excessive spend across all resources in your tenancy?
(Choose the best answer.)

- A.** Use the Python SDK to write a custom application that will monitor the Audit log. Look for CREATEEvents and configure the application to send you an email each time a new resource is created.
- B.** Create a tag namespace named BILLING with a Tag Key named CostCenter. Tag each of your resources with this Tag Key and the correct value.
- C.** Use the Events Service and create rules that will act when a new Object Storage bucket or Compute Instance has been created. Have the rule email you each time one of these events occurs.
- D.** Create a budget for each compartment that will send a notification when monthly spend reaches a pre- defined amount.

Answer: D (LEAVE A REPLY)

Explanation/Reference: <https://blogs.oracle.com/cloud-infrastructure/how-to-get-control-of-your-spending-in-oracle-cloud- infrastructure>

NEW QUESTION: 10

You set up a bastion host in your VCN to only allow your IP address (140.19.2.140) to establish SSH connections to your Compute Instances that are deployed in a private subnet. The Compute Instances have an attached Network Security Group with a Source Type: Network Security Group (NSG), Source NSG: NSG-050504. To secure the bastion host, you added the following ingress rules to its Network Security Group:

```
Type: All TCP
Protocol: TCP
Port Range: 22
Source: 140.19.2.140/32

Type: All TCP
Protocol: TCP
Port Range: 22
Source: NSG-050504
```

However, after checking the bastion host logs, you discovered that there are IP addresses other than your own that can access your bastion host.

What is the root cause of this issue? (Choose the best answer.)

- A.** All compute instances associated with NSG-050504 are also able to connect to the bastion host.

B. The Security List allows access to all IP address which overrides the Network Security Group ingress rules.

C. The port 22 provides unrestricted access to 140.19.2.140 and to other IP address.

D. A netmask of /32 allows all IP address in the 140.19.2.0 network, other than your IP 140.19.2.140

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

You have created the following JSON file to specify a lifecycle policy for one of your object storage buckets:

```
[
  {
    "name": "Archive LOGS",
    "action": "ARCHIVE",
    "objectNameFilter": {
      "inclusionPrefixes": [
        "LOGS"
      ]
    },
    "timeAmount": 30,
    "timeUnit": "DAYS",
    "isEnabled": true
  },
  {
    "name": "DELETE_LOGS",
    "action": "DELETE",
    "objectNameFilter": {
      "inclusionPrefixes": [
        "LOGS"
      ]
    },
    "timeAmount": 120,
    "timeUnit": "DAYS",
    "isEnabled": true
  }
]
```

How will this policy affect the objects that are stored in the bucket? (Choose the best answer.)

A. The objects with prefix "LOGS" will be deleted 30 days after creation date.

B. Objects containing the name prefix LOGS will be automatically migrated from standard Storage to Archive storage 30 days after the creation date. The object will be deleted 120 days after creation.

C. Objects with the prefix "LOGS" will be retained for 120 days and then deleted permanently.

D. Objects containing the name prefix LOGS will be automatically migrated from standard Storage to Archive storage 30 days after the creation date. The object will be migrated back to standard Storage 120 days after creation.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which option contains the essential components of the Oracle Cloud Infrastructure Notifications service? (Choose the best answer.)

- A. An ALARM with a name unique across the compartment, a SUBSCRIPTION, and a METRIC with the measurement of interest.
- B. A TOPIC with a name unique across the tenancy, a SUBSCRIPTION, and a MESSAGE where content is published.
- C. A TOPIC with a name unique across the compartment, a SUBSCRIPTION, and a MESSAGE where content is published.
- D. An ALARM with a name unique across the tenancy, a SUBSCRIPTION, and a METRIC with the measurement of interest.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 13

You have set an alarm to be generated when the CPU usage of a specified instance is greater than 10%. In the alarm behavior view below you notice that the critical condition happened around 23:30. You were expecting a notification after 1 minute, however, the alarm firing state did not begin until 23:33.



What should you change to fix it? (Choose the best answer.)

- A. Change the alarm's metric interval to 1.
- B. Change the alarm's trigger delay minutes value to 1.
- C. Change the notification topic that you previously associated with the alarm.
- D. Change the alarm condition to be greater than 3%.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

You are using Oracle Cloud Infrastructure (OCI) console to set up an alarm on a budget to track your OCI spending.

Which two are valid targets for creating a budget in OCI? (Choose two.)

- A. Select group as the type of target for your budget.
- B. Select Tenancy as the type of target for your budget.
- C. Select user as the type of target for your budget.
- D. Select Cost-Tracking Tags as the type of target for your budget.

E. Select Compartment as the type of target for your budget.

Answer: D,E (LEAVE A REPLY)

<https://docs.oracle.com/en-us/iaas/Content/Billing/Concepts/budgetoverview.htm>

NEW QUESTION: 15

Your customer is running a set of compute instances inside a private subnet to manage their workloads on Oracle Cloud Infrastructure (OCI) tenancy. You have set up auto scaling feature to provide consistent performance to their end users during period of high demand.

Which step should be met for auto scaling to work? (Choose the best answer.)

- A. Monitoring for the instances should not be enabled.
- B. Audit logs for the instances should be enabled.
- C. OS Management Service agent (osms) must be installed on the instances.
- D. Service gateway should be setup to allow instances to send metrics to monitoring service.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 16

One of your development teams has asked for your help to standardize the creation of several compute instances that must be provisioned each day of the week. You initially write several Command Line Interface (CLI) commands with all appropriate configuration parameters to achieve this task later determining this method lacks flexibility.

Which command generates a JSON-based template that Oracle Cloud Infrastructure (OCI) CLI can use to provision these instances on a regular basis? (Choose the best answer.)

- A. `oci compute instance create - -generate-cli-skeleton`
- B. `oci compute provision-instance - -generate-full-command-json-input`
- C. `oci compute instance launch - -generate-cli-skeleton`
- D. `oci compute instance launch - -generate-full-command-json-input`

Answer: D (LEAVE A REPLY)

Valid 1Z0-1067-21 Dumps shared by TrainingDump.com for Helping Passing 1Z0-1067-21 Exam! TrainingDump.com now offer the **newest 1Z0-1067-21 exam dumps**, the TrainingDump.com 1Z0-1067-21 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com 1Z0-1067-21 dumps with Test Engine here: <https://www.trainingdump.com/Oracle/1Z0-1067-21-practice-exam-dumps.html> (56 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

You have been asked to set up connectivity between a client's on-premises network and Oracle Cloud Infrastructure (OCI). The requirements are:

Low latency: The applications are financial and require low latency connectivity into OCI.

Consistency: The application isn't tolerant of performance variation.

Performance: The communications link needs to support up to 1.25 Gbps.

Encryption: The communications link needs to encrypt any data in transit between the on-premises network and OCI Virtual Cloud Network (VCN).

The client wants to implement the above with as low a cost as possible, while meeting all of the requirements. What should you suggest? (Choose the best answer.)

- A. Provision FastConnect with a single private virtual circuit, and run an IPsec VPN tunnel over the top of this virtual circuit.
- B. Provision FastConnect with a single public virtual circuit.
- C. Provision a site-to-site IPsec VPN between your on-premises network and your virtual cloud network (VCN) using VPN Connect.
- D. Provision FastConnect with a single private virtual circuit.
- E. Provision FastConnect with a single public virtual circuit, and run an IPsec VPN tunnel over the top of this

Answer: D ([LEAVE A REPLY](#))

virtual circuit.

NEW QUESTION: 18

You have recently joined a startup company and quickly find that nobody is tracking the amount of money spent on Oracle Cloud Infrastructure (OCI). Seeing an opportunity to help save money you begin creating a solution to better track the cost of resources provisioned by each individual on the team.

Which option allows you to identify excessive spend across all resources in your tenancy?

(Choose the best answer.)

- A. Use the Python SDK to write a custom application that will monitor the Audit log. Look for CREATE events and configure the application to send you an email each time a new resource is created.
- B. Create a tag namespace named BILLING with a Tag Key named CostCenter. Tag each of your resources with this Tag Key and the correct value.
- C. Use the Events Service and create rules that will act when a new Object Storage bucket or Compute Instance has been created. Have the rule email you each time one of these events occurs.
- D. Create a budget for each compartment that will send a notification when monthly spend reaches a pre- defined amount.

Answer: B ([LEAVE A REPLY](#))

<https://docs.oracle.com/en-us/iaas/Content/Tagging/Tasks/usingcosttrackingtags.htm>

NEW QUESTION: 19

Multiple teams are sharing a tenancy in Oracle Cloud Infrastructure (OCI). You are asked to figure out an appropriate method to manage OCI costs.

Which is NOT a valid technique to accurately attribute costs to resources used by each team?
(Choose the best answer.)

- A. Create a Cost-Tracking tag. Apply this tag to all resources with team information. Use the OCI cost analysis tools to filter costs by tags.
- B. Create separate compartment for each team. Use the OCI cost analysis tools to filter costs by compartment.
- C. Create an Identity and Access Management (IAM) group for each team. Create an OCI budget for each group to track spending.
- D. Define and use tags for resources used by each team. Analyze usage data from the OCI Usage Report which has detailed information about resources and tags.

Answer: C (LEAVE A REPLY)

Budgets are set on cost-tracking tags or on compartments not by user groups

NEW QUESTION: 20

One of the compute instances that you have deployed on Oracle Cloud Infrastructure (OCI) is malfunctioning. You have created a console connection to remotely troubleshoot it.

Which two statements about console connections are TRUE? (Choose two.)

- A. It is not possible to use VNC console connections to connect to Bare Metal Instances.
- B. VNC console connection uses SSH port forwarding to create a secure connection from your local system to the VNC server attached to your instance's console.
- C. It is not possible to connect to the serial console to an instance running Microsoft Windows, however VNC console connection can be used.
- D. For security purpose, the console connection will not let you edit system configuration files.
- E. If you do not disconnect from the session, your serial console connection will automatically be terminated after 24 hours.

Answer: (SHOW ANSWER)

<https://docs.oracle.com/en-us/iaas/Content/Compute/References/serialconsole.htm>

NEW QUESTION: 21

You have recently been asked to take over management of your company's infrastructure provisioning efforts, utilizing Terraform v0.12 to provision and manage infrastructure resources in Oracle Cloud Infrastructure (OCI).

For the past few days the development environments have been failing to provision. Terraform returns the following error:

```
Error: Missing item separator
on vcn_peer_lab.tf line 15, in resource "oci_core_security_list" "ManagementSecurityList":
15: tcp_options = [min = "22", max = "22"]
Expected a comma to mark the beginning of the next item.
```

You locate the related code block in the Terraform config and find the following:

```
(11) ingress_security_rules {
(12)     protocol = 6
(13)     source = "0.0.0.0/0"
(14)
(15)     tcp_options = [min = "22", max = "22"]
(16) }
```

Which correction should you make to solve this issue? (Choose the best answer.)

A. Modify line 15 to be the following:

```
tcp_options = {min = "22", max = "22"}
```

B. Modify line 15 to be the following:

```
tcp_options {
min = "22"
max = "22"
}
```

C. Place a command at the end of line 16

D. Replace the curly braces '{ }' in lines 11 and 16 with square braces '[']'

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

You have created a group for several auditors. You assign the following policies to the group:

```
Allow group Auditors to inspect all-resources in tenancy
Allow group Auditors to read instances in tenancy
Allow group Auditors to read audit-events in tenancy
```

What actions are the auditors allowed to perform within your tenancy? (Choose the best answer.)

A. The Auditors are able to delete resource in the tenancy.

B. Auditors are able to create new instances in the tenancy.

C. The Auditors can view resources in the tenancy.

D. Auditors are able to view all resources in the compartment.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 23

You have been monitoring your company's applications running in Oracle Cloud Infrastructure (OCI) and notice that the application is using OCI Traffic Management service. This service uses a traffic steering policy to distribute the DNS traffic based on subnet addresses in a rule set.

Which steering policy is in use in this particular case? (Choose the best answer.)

A. IP Prefix steering

B. ASN steering policy

C. Geolocation steering

D. Load Balancing policy

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 24

Recently, your e-commerce web application has been receiving significantly more traffic than usual. Users are reporting they often encounter a 503 Service Error when trying to access your site. Sometimes the site is very slow.

You check your instance pool configuration to confirm that the maximum number of instances is configured to allow 20 compute instances. Currently, 14 compute instances have been provisioned by the instance pool.

You also confirm that current CPU utilization across all hosts exceeds the scale-out threshold you set in your auto-scaling policy. However, the instance pool is not provisioning any new instances. What can you check to determine why the application is NOT functioning properly? (Choose the best answer.)

- A. Verify that the Quality Assurance team is not currently performing load-testing against production.
- B. Verify that the compute resource quota has not been exceeded.
- C. Verify that the new offer feature code did not introduce any performance bugs.
- D. Verify that the database is accessible.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 25

You are using the Oracle Cloud Infrastructure Command Line Interface to launch a Linux virtual machine. You enter the following command (with correct values for all parameters):

```
oci compute instance launch --availability-domain
"<availability_domain_name>" -t <tenancy_id> -c <compartment_id>
--shape "<shape_name>" --display-name "<instance_display_name>"
--image-id <image_id> --ssh-authorized-keys-file
"<path_to_authorized_keys_file>" --subnet-id <subnet_id>
```

The command fails.

Which is NOT a valid parameter in this command? (Choose the best answer.)

- A. -t <tenancy_id>
- B. - -image-id <image_id>
- C. - -shape "<shape_name>"
- D. -c <compartment_id>
- E. - -subnet-id <subnet_id>

Answer: A (LEAVE A REPLY)

Tenacy is not in the parameters https://docs.oracle.com/en-us/iaas/tools/oci-cli/3.0.5/oci_cli_docs/cmdref/compute/instance/launch.html

NEW QUESTION: 26

You created an Oracle Linux compute instance through the Oracle Cloud Infrastructure (OCI) management console then immediately realize you forgot to add an SSH key file. You notice that OCI compute service provides instance console connections that supports adding SSH keys for a

running instance. Hence, you created the console connection for your Linux server and activated it using the connection string provided. However, now you get prompted for a username and password to login.

What option should you recommend to add the SSH key to your running instance, while minimizing the administrative overhead? (Choose the best answer.)

- A.** You need to terminate the running instance and recreate it by providing the SSH key file.
- B.** You need to configure the boot loader to use ttyS0 as a console terminal on the VM.
- C.** You need to reboot the instance from the console, boot into the bash shell in maintenance mode, and add SSH keys for the opc user.
- D.** You need to modify the serial console connection string to include the identity file flag, `-i` to specify the SSH key to use.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

The boot volume on your Oracle Linux instance has run out of space. Your application has crashed due to a lack of swap space, forcing you to increase the size of the boot volume. Which step should NOT be included in the process used to solve the issue? (Choose the best answer.)

- A.** Reattach the boot volume and restart the instance.
- B.** Attach the resized boot volume to a second instance as a data volume; extend the partition and grow the file system in the resized boot volume.
- C.** Stop the instance and detach the boot volume.
- D.** Resize the boot volume by specifying a larger value than the boot volume's current size.
- E.** Create a RAID 0 configuration to extend the boot volume file system onto another block volume.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

You have been asked to ensure that in-transit communication between an Oracle Cloud Infrastructure (OCI) compute instance and an on-premises server (192.168.10.10/32) is encrypted. The instances communicate using HTTP. The OCI Virtual Cloud Network (VCN) is connected to the on-premises network by two separate connections: a Dynamic IPsec VPN tunnel and a FastConnect virtual circuit. No static configuration has been added.

What solution should you recommend? (Choose the best answer.)

- A.** Advertise a 192.168.10.10/32 route over the VPN.
- B.** The instances will communicate by default over the FastConnect private virtual circuit, which ensures data is encrypted in-transit.
- C.** The instances will communicate by default over IPsec VPN, which ensures data is encrypted in-transit.
- D.** Advertise a 192.168.10.10/32 router over the FastConnect.

Answer: (SHOW ANSWER)

NEW QUESTION: 29

You are working with Terraform on your laptop and have been tasked with spinning up multiple compute instances in Oracle Cloud Infrastructure (OCI) for a project. In addition, you are also required to collect IP addresses of provisioned instances and write them to a file and save it in your laptop.

Which specific Terraform functionality can help accomplish this task? (Choose the best answer.)

- A. Terraform local-exec
- B. Terraform modules
- C. Terraform remote state
- D. Terraform remote-exec

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

You have set an alarm to be generated when the CPU usage of a specified instance is greater than 10%. In the alarm behavior view below you notice that the critical condition happened around 23:30. You were expecting a notification after 1 minute, however, the alarm firing state did not begin until 23:33.



What should you change to fix it? (Choose the best answer.)

- A. Change the alarm condition to be greater than 3%.
- B. Change the alarm's metric interval to 1.
- C. Change the notification topic that you previously associated with the alarm.
- D. Change the alarm's trigger delay minutes value to 1.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 31

A subscriber of an Oracle Cloud Infrastructure (OCI) Notifications service topic complained about not receiving messages from the service.

Which option can help you debug this issue? (Choose the best answer.)

- A. If OCI Notifications service does not receive an acknowledgement from a subscription endpoint, check the NumberOfNotificationFailed metric through the OCI Monitoring service for failed messages. Copy these messages to an OCI Object Storage bucket. Make sure the subscriber has the required credentials to access this bucket to help debug the issue.

- B.** If OCI Notifications service does not receive an acknowledgement from a subscription endpoint, the service tries to redeliver messages for up to two hours. Configure an alarm on the NumberOfNotificationFailed metric through the OCI Monitoring service to help debug the issue.
- C.** If OCI Notifications service does not receive an acknowledgement from a subscription endpoint, the service drops the message. Confirm that the subscriber is always online to receive messages to help debug the issue.
- D.** If OCI Notifications service does not receive an acknowledgement from a subscription endpoint, the service tries to redeliver messages for up to one day. Make sure that the subscriber is online at least once a day to help debug the issue.

Answer: B (LEAVE A REPLY)

Valid 1Z0-1067-21 Dumps shared by TrainingDump.com for Helping Passing 1Z0-1067-21 Exam! TrainingDump.com now offer the **newest 1Z0-1067-21 exam dumps**, the TrainingDump.com 1Z0-1067-21 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com 1Z0-1067-21 dumps with Test Engine here: <https://www.trainingdump.com/Oracle/1Z0-1067-21-practice-exam-dumps.html> (56 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

A subscriber of an Oracle Cloud Infrastructure (OCI) Notifications service topic complained about not receiving messages from the service.

Which option can help you debug this issue? (Choose the best answer.)

- A.** If OCI Notifications service does not receive an acknowledgement from a subscription endpoint, the service drops the message. Confirm that the subscriber is always online to receive messages to help debug the issue.
- B.** If OCI Notifications service does not receive an acknowledgement from a subscription endpoint, check the NumberOfNotificationFailed metric through the OCI Monitoring service for failed messages. Copy these messages to an OCI Object Storage bucket. Make sure the subscriber has the required credentials to access this bucket to help debug the issue.
- C.** If OCI Notifications service does not receive an acknowledgement from a subscription endpoint, the service tries to redeliver messages for up to one day. Make sure that the subscriber is online at least once a day to help debug the issue.
- D.** If OCI Notifications service does not receive an acknowledgement from a subscription endpoint, the service tries to redeliver messages for up to two hours. Configure an alarm on the NumberOfNotificationFailed metric through the OCI Monitoring service to help debug the issue.

Answer: D (LEAVE A REPLY)

<https://www.oracle.com/devops/notifications/faq/>

When a subscriber's endpoint doesn't acknowledge receipt of a message, the service retries delivery and currently retains the message up to two hours from the time the message is published to a topic. The service tries to deliver messages within the retention window.

NEW QUESTION: 33

You have been contracted by a local e-commerce company to assist with enhancing their online shopping application. The application is currently deployed in a single Oracle Cloud Infrastructure (OCI) region. The application utilizes a public load balancer, application servers in a private subnet, and a database in a separate, private subnet.

The company would like to deploy another set of similar infrastructure in a different OCI region that will act as standby site. In the event of a failure at the primary site, all customers should be routed to the failover site automatically.

After deploying the additional infrastructure within the second region, how should you configure automated failover requirements? (Choose the best answer.)

- A.** Create a new A record in DNS that points to the public load balancer at the secondary site. Create a CNAME for the sub-domain failover that will resolve to the new A record. Inform customers to prepend the website URL with failover if the primary site is unavailable.
- B.** Create a failover policy in the Traffic Management service. Set the IP address of the public load balancer for the primary site in answer pool 1. Set the IP address of the public load balancer for the secondary site in answer pool 2. Define a health check to monitor both sites.
- C.** Create a load balancer policy in the Traffic Management service. Configure one answer for each site. Set the answer for the primary site with a weight of 10 and the answer for the secondary site with a weight of 100.
- D.** Deploy a new load balancer in the primary region. Create one backend set for the primary application servers and a second backend set for the standby application servers. Create a listener for the primary backend set with a timeout of 3 minutes. Create a listener for the secondary backend set with a timeout of 10 minutes.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

A developer has created a file system in Oracle Cloud Infrastructure (OCI) File Storage service. She launches an Oracle Linux compute instance and successfully mounts the file system from the instance.

She then tries writing to the file system from the compute instance using the following command:

```
touch /mnt/yourmountpoint/helloworld
```

But gets an error message:

```
touch: cannot touch '/mnt/yourmountpoint/helloworrlid': Permission denied
```

Which is a reason for this error? (Choose the best answer.)

- A.** 'touch' command is not available in Oracle Linux by default.
- B.** Service limits or quota for file system writes have been breached.

C. User is not part of any OCI Identity and Access Management group with write permissions to File Storage service.

D. User is connecting as the default Oracle Linux user 'opc' instead of 'root' user.

Answer: ([SHOW ANSWER](#))

Explanation/Reference: <https://itectec.com/unixlinux/touch-cannot-touch-test-permission-denied/>

NEW QUESTION: 35

You have been monitoring your company's applications running in Oracle Cloud Infrastructure (OCI) and notice that the application is using OCI Traffic Management service. This service uses a traffic steering policy to distribute the DNS traffic based on subnet addresses in a rule set.

Which steering policy is in use in this particular case? (Choose the best answer.)

A. Load Balancing policy

B. Geolocation steering

C. ASN steering policy

D. IP Prefix steering

Answer: ([SHOW ANSWER](#))

IP Prefix steering policies enable customers to steer DNS traffic based on the IP Prefix of the originating query.

NEW QUESTION: 36

You have set an alarm to be generated when the CPU usage of a specified instance is greater than 10%. In the alarm behavior view below you notice that the critical condition happened around 23:30. You were expecting a notification after 1 minute, however, the alarm firing state did not begin until 23:33.



What should you change to fix it? (Choose the best answer.)

A. Change the notification topic that you previously associated with the alarm.

B. Change the alarm's metric interval to 1.

C. Change the alarm condition to be greater than 3%.

D. Change the alarm's trigger delay minutes value to 1.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

You have a group of developers who launch multiple VM.Standard2.2 compute instances every day into the compartment Dev. As a result, your OCI tenancy quickly hit the service limit for this shape. Other groups can no longer create new instances using VM.Standard2.2 shape.

Because of this, your company has issued a new mandate that the Dev compartment must include a quota to allow for use of only 20 VM.Standard2.2 shapes per Availability Domain. Your solution should not affect any other compartment in the tenancy.

Which quota statement should be used to implement this new requirement? (Choose the best answer.)

A. zero compute quotas in tenancy

set compute quota vm-standard2-2-count to 20 in tenancy dev

B. set compute quota vm-standard2-2-count to 20 in compartment dev

C. zero compute quotas in tenancy

set compute quota vm-standard2-2-count to 20 in compartment dev

D. set compute quota vm-standard2-2count to 10 in compartment dev where request.region = us-phoenix-1

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 38

You are asked to deploy a new application that has been designed to scale horizontally. The business stakeholders have asked that the application be deployed in us-phoenix-1.

Normal usage requires 2 OCPUs. You expect to have few spikes during the week, that will require up to 4 OCPUs, and a major usage uptick at the end of each month that will require 8 OCPUs.

What is the most cost-effective approach to implement a highly available and scalable solution? (Choose the best answer.)

A. Create an instance pool with a VM.Standard2.2 shape instance configuration. Setup the autoscaling configuration to use 2 availability domains and have a minimum of 2 instances, to handle the weekly spikes, and a maximum of 4 instances.

B. Create an instance with 1 OCPU shape. Use the Resize Instance action to scale up to a larger shape when more resources are needed.

C. Create an instance pool with a VM.Standard2.1 shape instance configuration. Setup the autoscaling configuration to use 2 availability domains and have a minimum of 2 instances and a maximum of 8 instances.

D. Create an instance with 1 OCPU shape. Use a CLI script to clone it when more resources are needed.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

An insurance company has contracted you to help automate their application business continuity plan. They have the application running in eu-frankfurt-1 as the primary site and uk-london-1 as a disaster recovery site. Normally they have a DNS A record associated with the IP address of the primary endpoint in eu-frankfurt-1. In the event of a disaster, they use OCI DNS Zone Management to update the A record and replace it with the IP address of the endpoint in uk-london-1.

How can you automate the failover process? (Choose the best answer.)

- A.** Provision a Load Balancer in Frankfurt and associate it with the A record in DNS. Create a backend set with backend servers from both eu-frankfurt-1 and uk-london-1 regions.
- B.** Create a Health Check that evaluates both regional endpoints. Create a Traffic Management Steering policy with Failover type and associate it with the Health Check.
- C.** Create a Traffic Management Steering policy with Load Balancer type and add both eu-frankfurt-1 and uk-london-1 endpoints. Attach the Traffic Management Steering policy to the A record.
- D.** Create a Traffic Management Steering policy and attach it to a backend servers from both eu-frankfurt-1 and uk-london-1 regions.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 40

You have created an Autonomous Data Warehouse (ADW) service in your company's Oracle Cloud Infrastructure (OCI) tenancy and you now have to load historical data into it. You have already extracted this historical data from multiple data marts and data warehouses. This data is stored in multiple CSV text files and these files are ranging in size from 25 MB to 20 GB.

Which is the most efficient and error tolerant method for loading data into ADW? (Choose the best answer.)

- A.** Create Auth token, use it to create an object storage credential by executing `DBMS_CLOUD.CREATE_CREDENTIAL`, using the web console upload the CSV files to an OCI object storage bucket, create the tables in the ADW database and then execute `DBMS_CLOUD.COPY_DATA` for each CSV file to copy the contents into the corresponding ADW database table.
- B.** Create the tables in the ADW database and then execute `SQL*Loader` for each CSV file to load the contents into the corresponding ADW database table.
- C.** Create Auth token, use it to create an object storage credential by executing `DBMS_CLOUD.CREATE_CREDENTIAL`, using OCI CLI upload the CSV files to an OCI object storage bucket, create the tables in the ADW database and then execute Data Pump Import for each CSV file to copy the contents into the corresponding ADW database table.
- D.** Create Auth token, use it to create an object storage credential by executing `DBMS_CLOUD.CREATE_CREDENTIAL`, using OCI CLI upload the CSV files to an OCI object storage bucket, create the tables in the ADW database and then execute `DBMS_CLOUD.COPY_DATA` for each CSV file to copy the contents into the corresponding ADW database table.

Answer: D (LEAVE A REPLY)

Using Object Storage and `COPY_DATA` is the standard recommended method for fetching data into ADW. Furthermore using CLI over web has the benefit of multipart upload, that is chunk upload of large files, thus reducing the chance of a transfer failure

NEW QUESTION: 41

An insurance company has contracted you to help automate their application business continuity plan. They have the application running in eu-frankfurt-1 as the primary site and uk-london-1 as a disaster recovery site.

Normally they have a DNS A record associated with the IP address of the primary endpoint in eu-frankfurt-1. In the event of a disaster, they use OCI DNS Zone Management to update the A record and replace it with the IP address of the endpoint in uk-london-1.

How can you automate the failover process? (Choose the best answer.)

- A.** Create a Health Check that evaluates both regional endpoints. Create a Traffic Management Steering policy with Failover type and associate it with the Health Check.
- B.** Create a Traffic Management Steering policy with Load Balancer type and add both eu-frankfurt-1 and uk-london-1 endpoints. Attach the Traffic Management Steering policy to the A record.
- C.** Provision a Load Balancer in Frankfurt and associate it with the A record in DNS. Create a backend set with backend servers from both eu-frankfurt-1 and uk-london-1 regions.
- D.** Create a Traffic Management Steering policy and attach it to a backend servers from both eu-frankfurt-1 and uk-london-1 regions.

Answer: B (LEAVE A REPLY)

Explanation/Reference:

NEW QUESTION: 42

One of the compute instances that you have deployed on Oracle Cloud Infrastructure (OCI) is malfunctioning.

You have created a console connection to remotely troubleshoot it.

Which two statements about console connections are TRUE? (Choose two.)

- A.** If you do not disconnect from the session, your serial console connection will automatically be terminated after 24 hours.
- B.** It is not possible to use VNC console connections to connect to Bare Metal Instances.
- C.** VNC console connection uses SSH port forwarding to create a secure connection from your local system to the VNC server attached to your instance's console.
- D.** For security purpose, the console connection will not let you edit system configuration files.
- E.** It is not possible to connect to the serial console to an instance running Microsoft Windows, however VNC console connection can be used.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 43

Multiple teams are sharing a tenancy in Oracle Cloud Infrastructure (OCI). You are asked to figure out an appropriate method to manage OCI costs.

Which is NOT a valid technique to accurately attribute costs to resources used by each team? (Choose the best answer.)

- A.** Create a Cost-Tracking tag. Apply this tag to all resources with team information. Use the OCI cost analysis tools to filter costs by tags.

- B.** Create an Identity and Access Management (IAM) group for each team. Create an OCI budget for each group to track spending.
- C.** Create separate compartment for each team. Use the OCI cost analysis tools to filter costs by compartment.
- D.** Define and use tags for resources used by each team. Analyze usage data from the OCI Usage Report which has detailed information about resources and tags.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

Which two statements about the Oracle Cloud Infrastructure (OCI) Command Line Interface (CLI) are TRUE? (Choose two.)

- A.** The CLI provides an automatic way to connect with instances provisioned on OCI.
- B.** You can run CLI commands from inside OCI Regions only.
- C.** The CLI provides the same core functionality as the Console, plus additional commands.
- D.** The CLI allows you to use the Python language to interact with OCI APIs.
- E.** You can filter CLI output using the JMESPath query option for JSON.

Answer: C,E ([LEAVE A REPLY](#))

Valid 1Z0-1067-21 Dumps shared by TrainingDump.com for Helping Passing 1Z0-1067-21 Exam! TrainingDump.com now offer the **newest 1Z0-1067-21 exam dumps**, the TrainingDump.com 1Z0-1067-21 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com 1Z0-1067-21 dumps with Test Engine here: <https://www.trainingdump.com/Oracle/1Z0-1067-21-practice-exam-dumps.html> (56 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)