

SAP.C-HANAIMP-17.v2022-06-02.q82

Exam Code:	C-HANAIMP-17
Exam Name:	SAP Certified Application Associate - SAP HANA 2.0 (SPS05)
Certification Provider:	SAP
Free Question Number:	82
Version:	v2022-06-02
# of views:	2254
# of Questions views:	3091
https://www.dumpsfiles.com/files/SAP/C-HANAIMP-17/SAP.C-HANAIMP-17.v2022-06-02.q82	

NEW QUESTION: 1

Why might you use SAP HANA Graph with text analysis?

- A. To provide a visual method to build a custom text analysis
- B. To illustrate multi-point relationships between text entities
- C. To highlight similarities between documents using hierarchies
- D. To uncover the dependencies between parts of speech

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Where do you use SQLScript outside of the development environment discussed in this chapter?

There are 3 correct answers to this question.

Response:

- A. Reporting tools
- B. Creating tables
- C. Calculation views
- D. Text analytics
- E. Security

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 3

Your calculation view consumes one data source which includes the following columns : SALES_ORDER_ID, PRODUCT_ID, QUANTITY & PRICE.

In the output, you want to see summarized data by PRODUCT_ID and a calculated column, PRODUCT_TOTAL, with the formula QUANTITY * PRICE.

In which type of node do you define the calculation to display the correct result?

- A. Union
- B. Projection

- C. Join
- D. Aggregation

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

What can you discover using Data Lineage?

Please choose the correct answer.

Response:

- A. Underlying calculation views and tables
- B. Data changes since last refresh
- C. Frequency of load
- D. Access statistics

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Which recent trends have triggered the need for a next generation data processing platform?

There are 3 correct answers to this question.

Response:

- A. Increase in use of mobile devices
- B. Increasing connectivity of people and devices
- C. Move transactional processing and analysis to separate servers for better scalability
- D. Massive growth in data volume

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which of the following approaches can be used to implement union pruning?

There are 2 correct answers to this question.

Response:

- A. Define union pruning conditions in a pruning configuration table.
- B. Define a restricted column and include it in both data sources of a union.
- C. Define the cardinality between the data sources.
- D. Define a constant value for each data source in the Union node.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

When you create a full text index, why do you specify FAST_PREPROCESS OFF?

- A. To avoid the generation of the term document matrix
- B. To prevent the creation of a fuzzy search index
- C. To generate text analysis results in multiple languages
- D. To enable a full linguistic search

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 8

What should you keep in mind about procedures?

There are 3 correct answers to this question.

Response:

- A. They must return values.
- B. They may have input parameters.
- C. They are NOT open to SQL injection.
- D. They can call table functions.
- E. They can call views.

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 9

To what subset of SQL does the SELECT statement belong?

Please choose the correct answer.

Response:

- A. DML
- B. DDL
- C. DCL
- D. DQL

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

For which deployment scenario does SAP deliver prebuilt data models?

Please choose the correct answer.

Response:

- A. SAP HANA as a side-by-side accelerator
- B. SAP HANA as a platform
- C. SAP HANA as an SQL Data Warehouse
- D. SAP HANA on the cloud

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

In SAP Web IDE, you rename a dimension calculation view that is used by a cube calculation view.

Afterward, you perform the following build operations:

*Build the dimension calculation view as a single object.

*Build the entire SAP HANA database module. What is the outcome of the build operations?

- A. The first build is successful.

The second build is successful.

- B. The first build is successful.

The second build fails.

C. The first build fails.

The second build fails.

D. The first build fails.

The second build is successful.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following data provisioning tools can you use to read data directly from Twitter?

There are 3 correct answers to this question.

Response:

A. SAP Replication Server

B. SDI

C. SDA

D. SAP HANA XS engine

E. SAP Data Services

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 13

You want to call a procedure in a SELECT statement (e.g., a table function). Which clauses do you have to specify?

There are 2 correct answers to this question.

Response:

A. WITH RESULTS VIEW

B. SEQUENTIAL EXECUTION

C. LANGUAGE SQLSCRIPT

D. READS SQL DATA

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 14

What do you use in the definition of a dynamic SQL analytic privilege?

A. A scalar function that returns a list of the allowed values for each attribute.

B. A table function that returns a list of allowed values.

C. An organization hierarchy that provides role-based access to data.

D. A procedure that returns the data access condition as an SQL expression.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 15

You combine two tables in a join using multiple columns in each table. Why do you enable the dynamic join option?

Note: There are 2 correct answers to this question.

- A. To ensure that the join execution only uses the join columns requested in the query.
- B. To force the calculation at the relevant level of granularity, even if this level is not the grouping level defined by the query.
- C. To improve execution time under specific query conditions.
- D. To allow data analysis at different levels of granularity with the same calculation view.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 16

Where do you build a flowgraph?

There are 2 correct answers to this question.

Response:

- A. Web-based development workbench
- B. SAP HANA Studio development perspective
- C. SAP HANA Studio modeler perspective
- D. Web IDE for SAP HANA

Answer: B,D ([LEAVE A REPLY](#))

Valid C-HANAIMP-17 Dumps shared by TrainingDump.com for Helping Passing C-HANAIMP-17 Exam! TrainingDump.com now offer the **newest C-HANAIMP-17 exam dumps**, the TrainingDump.com C-HANAIMP-17 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com C-HANAIMP-17 dumps with Test Engine here: <https://www.trainingdump.com/SAP/C-HANAIMP-17-practice-exam-dumps.html> (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

You want to publish your business intelligence content directly to SAP Analytics Cloud. Which tool do you use?

Please choose the correct answer.

Response:

- A. SAP Lumira, discovery edition
- B. SAP Crystal Reports for Enterprise
- C. SAP Analysis for Microsoft Office

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

What enables the delta buffer technique to speed up both reads and inserts in SAP HANA?

Please choose the correct answer.

Response:

- A. Using column-based tables only

- B. Using row-based tables only
- C. Using only the insert-only technique
- D. Using both row-based and column-based tables

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which of the following are usually no longer required in the architecture of SAPS/4HANA? Note:
There are 2 correct answers to this question.

- A. ABAP CDS
- B. Synonyms
- C. Indexes
- D. Aggregates

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 20

What restrictions apply to a graph node that you include in a calculation view?
Please choose the correct answer.

Response:

- A. Its data sources must be provided by a projection node
- B. It cannot be included in a calculation view of type dimension
- C. It must be the final node in the data flow
- D. It must be the first node in the data flow.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

When modeling in the Web IDE for SAP HANA, which object do you build to provide access to tables in external schemas?

- A. Association
- B. Synonym
- C. Alias
- D. Virtual Table

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 22

You have successfully built an SAP HANA database (HDB) module. It contains a dimension calculation view that is only consumed by one cube calculation view.

- In the dimension calculation view, you change the name of a column that is referenced by the cube calculation view.
- You then accidentally delete the design-time object of the cube calculation view.

During the build, which of the following scenarios are possible?

There are 2 correct answers to this question.

Response:

- A. When you build the HDB module, the build is successful.
- B. When you build only the dimension calculation view, the build fails.
- C. When you build the HDB module, the build fails.
- D. When you build only the dimension calculation view, the build is successful.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

How can you define a variable that presents its value help hierarchically?

Note: There are 2 correct answers to this question.

- A. Create a level hierarchy and assign it to the variable.
Ensure the variable's reference column is the top level of the hierarchy.
- B. Create a level hierarchy and assign it to the variable.
Ensure the variable's reference column is the leaf level of the hierarchy.
- C. Create a parent-child hierarchy and assign it to the variable.
Ensure the variable's reference column is the child attribute of the hierarchy.
- D. Create a parent-child hierarchy and assign it to the variable.
Ensure the variable's reference column is the parent attribute of the hierarchy.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 24

How should you create a procedure?

Please choose the correct answer.

Response:

- A. Create a design-time object in a SQL console
- B. Create a design-time object in a HANA project.
- C. Create a runtime object in a HANA project
- D. Create a runtime object in the SQL console.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

What does SQLScript provide to extend standard SQL?

There are 2 correct answers to this question.

Response:

- A. Integrated source code version management
- B. Features to push processing to the database
- C. Additional data types for the definition of text and spatial data
- D. Support for ABAP syntax

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 26

When would you use a function?

Please choose the correct answer.

Response:

- A. To develop a calculation view with the best possible performance.
- B. To break SQL into smaller statements.
- C. When you need to write results back to a table.
- D. When you need to define complex data sources for my calculation view that require conditional logic.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

Why might you use the keep flag in an aggregation node?

Please choose the correct answer.

Response:

- A. To ensure that the aggregation behavior defined in the aggregation node for a measure CANNOT be overridden by a query
- B. To retain the results of the aggregation node for reuse in a drill-down based on hierarchy
- C. To include columns that are NOT requested by a query but are essential for the correct result

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which join type makes use of date ranges?

Please choose the correct answer.

Response:

- A. Text join
- B. Spatial join
- C. Inner join
- D. Temporal join

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

What are the components of a custom text analysis?

Note: There are 3 correct answers to this question.

- A. Python script
- B. Rule set
- C. Configuration
- D. Term Document Matrix
- E. Dictionary

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 30

Where do you create a variable?

Please choose the correct answer.

Response:

- A. In the Semantics node
- B. In the context menu of a workspace
- C. In the work area of an Aggregate node
- D. In the output area of a Join node

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

You want to control parallelization in a calculation view. Which action is mandatory when you define the parallelization block?

- A. Define a union node as the start of the parallelization block.
- B. Define a projection node as the end of the parallelization block.
- C. Assign tables as the only data sources in the nodes that start the parallelization block.
- D. Define a source column as partitioning value in the start node of the parallelization block.

Answer: C ([LEAVE A REPLY](#))

Valid C-HANAIMP-17 Dumps shared by TrainingDump.com for Helping Passing C-HANAIMP-17 Exam! TrainingDump.com now offer the **newest C-HANAIMP-17 exam dumps**, the TrainingDump.com C-HANAIMP-17 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com C-HANAIMP-17 dumps with Test Engine here: <https://www.trainingdump.com/SAP/C-HANAIMP-17-practice-exam-dumps.html> (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

Which type of join supports a temporal conditions in a calculation view?

Please choose the correct answer.

Response:

- A. Inner join
- B. Left outer join
- C. Text join
- D. Referential join

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

In SAP Web IDE for SAP HANA, which of the following tasks do you need to complete before you can build the SAP HANA database (HDB) module successfully?

There are 2 correct answers to this question.

Response:

- A. Ensure that the name of your HDB module is included in the corresponding schema names
- B. Explicitly build the HDB module instead of the project
- C. Ensure that you have only one HDB module in your project
- D. Assign the project to a space to which you have developer authorizations

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 34

What information can you find in Performance Analysis Mode when you view the analysis for a Join node?

There are 2 correct answers to this question.

Response:

- A. Tables used by the join in the node
- B. Time taken by the join
- C. Suggested filter for the tables in the Join node
- D. Total number of records returned by the node

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 35

The virtual data model for SAP S/4HANA is based on which of these?

Please choose the correct answer.

Response:

- A. ABAP CDS
- B. SAP HANA Live
- C. Universe
- D. SAP HANA CDS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 36

Your newly created analytic privilege does NOT want to build. What must you do?

Please choose the correct answer.

Response:

- A. Assign the ::access role to the HDI container user.
- B. Change the Apply Privileges property of the view.
- C. Grant rights to the _SYS_REPO user.
- D. Change the analytic privilege to use an SQL Expression.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

What can you use to limit the number of records produced by a calculation view?

There are 3 correct answers to this question.

Response:

- A. Domain fix values
- B. SAP client restrictions
- C. Restricted columns
- D. Generated columns
- E. Filter expressions

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

What can be used to return multiple result sets?

Please choose the correct answer.

Response:

- A. Table function
- B. Scalar function
- C. Procedure
- D. View

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which recent technology advances have made SAP HANA possible?

There are 2 correct answers to this question.

Response:

- A. Multicore processors
- B. Faster disk speeds
- C. Faster internet speeds
- D. Larger and cheaper memory

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 40

You imported the following objects. Which of them always require an activity from you before they can be built?

There are 2 correct answers to this question.

Response:

- A. SAP HANA database module
- B. Logical schema definition
- C. Synonyms definition
- D. Multi-target application

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

What type of join should you use?

Please choose the correct answer.

Response:

- A. Text join
- B. Referential join
- C. Inner join
- D. Temporal join

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 42

If we change the transaction "Laura buys 10 apples" to "Laura buys 10 green apples," how would we store the color green?

Please choose the correct answer.

Response:

- A. Store green as a spatial data type.
- B. Store green as an attribute.
- C. Store green as a measure.
- D. Store green as a CDS view.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

What must be installed for PAL to work?

Please choose the correct answer.

Response:

- A. SAP HANA SINA
- B. SAP HANA BFL
- C. SAP HANA AFL
- D. SAP HANA AFM

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which business intelligence tool can publish storyboards?

Please choose the correct answer.

Response:

- A. SAP Analysis for Microsoft Office
- B. SAP BusinessObjects Web Intelligence
- C. SAP Lumira, designer edition
- D. SAP BusinessObjects Analysis, edition for Microsoft Office

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 45

What are the key steps to implement currency conversion in a calculation view?

A. Enable the measure for conversion

Choose client, source and target currencies Choose conversion date and rate type Assign the conversion rule to your calculation view

B. Enable the measure for conversion

Choose client, source and target currencies Choose conversion date and rate type Build the conversion rule

C. Assign semantic type

Choose client, source and target currencies Choose conversion date and rate type Define an expression in a calculated column

D. Assign semantic type

Enable the measure for conversion

Choose client, source and target currencies Choose conversion date and rate type

Answer: D (LEAVE A REPLY)

NEW QUESTION: 46

What conditions must be met to ensure the Dynamic join feature works properly?

There are 2 correct answers to this question.

Response:

A. Multiple columns must be defined in the join

B. The join must be defined on key columns

C. At least one joined column must be specified in the query.

D. Cardinality must be set

Answer: A,C (LEAVE A REPLY)

Valid C-HANAIMP-17 Dumps shared by TrainingDump.com for Helping Passing C-HANAIMP-17 Exam! TrainingDump.com now offer the **newest C-HANAIMP-17 exam dumps**, the TrainingDump.com C-HANAIMP-17 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com C-HANAIMP-17 dumps with Test Engine here: <https://www.trainingdump.com/SAP/C-HANAIMP-17-practice-exam-dumps.html> (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

What does SAP HANA provide to support native application development

Note: There are 3 correct answers.

A. Embedded SAP Business Warehouse(BW)

B. Choice of deployment to cloud or on-premise

C. Project management tools

D. Multiple development languages

E. Built- in application server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

How many processing tiers do you usually find in a native SAP HANA application stack?

Please choose the correct answer.

Response:

- A. 2
- B. 4
- C. 1
- D. 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

In which SAP HANA deployment scenarios will end users be created as users in the SAP HANA system?

There are 2 correct answers to this question.

Response:

- A. SAP HANA as a platform
- B. SAP S/4HANA
- C. SAP BW powered by SAP HANA
- D. SAP HANA Live

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which of the following allows data replication?

- A. SAP HANA smart data quality
- B. SAP HANA smart data integration
- C. SAP HANA streaming analytics
- D. SAP HANA smart data access

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 51

Which database artefact do you use to access external data from an XS Advanced project?

Please choose the correct answer.

Response:

- A. Calculation view
- B. Logical schema
- C. User-provided service
- D. Synonym

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 52

What data source is available for Join nodes in calculation views?

Please choose the correct answer.

Response:

- A. Web services from the Internet
- B. Calculation views from other tenants in an MDC system
- C. Scalar functions from all SAP HANA systems
- D. All procedures in the current SAP HANA system

Answer: B (LEAVE A REPLY)

NEW QUESTION: 53

How can you define a variable that presents its value help hierarchically?

There are 2 correct answers to this question

Response:

- A. Create a parent-child hierarchy and assign it to the variable
Ensure the variables reference column is the child attribute of the hierarchy
- B. Create a level hierarchy and assign it to the variable
Ensure the variables reference column is the leaf level of the hierarchy.
- C. Create a level hierarchy and assign it to the variable
Ensure the variables references column is the top level of the hierarchy
- D. Create a parent-child hierarchy and assign it to the variable
Ensure the variables reference column is the parent attribute of the hierarchy

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 54

Which recent technology innovations have triggered the opportunity to build a next generation data processing platform?

There are 2 correct answers to this question.

Response:

- A. Larger memory availability
- B. Multi-core processing
- C. Faster disk access

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 55

Which SAP solution does SAP HANA Live support?

Please choose the correct answer.

Response:

- A. SAP S/4HANA
- B. SAP Business Suite
- C. SAP Ariba

D. SAP BW/4HANA

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 56

What type of data is relevant for SAP HANA Graph modeling?

- A. Forecast
- B. Hierarchical data
- C. Timeseries
- D. Highly-networked

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 57

What is a role of the SAP HANA Cockpit?

Please choose the correct answer.

Response:

- A. To provide an application developer collaboration hub
- B. To provide KPIs to help focus on business performance
- C. To provide key system performance information for one or more HANA instances
- D. To secure the SAP HANA Database

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 58

When would you develop an SQL procedure instead of a function?

- A. The code should modify data in the table.
- B. You want to create a dynamic analytic privilege.
- C. You need to implement Data Definition Language (DDL) statements.
- D. Optimal performance is a priority.
- E. You need to use conditional logic.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 59

What are the values for X, Y, and Z?

Please choose the correct answer.

Response:


- A. X = Customer 2, Y = 400, Z = 800
- B. X = Customer 1, Y = 800, Z = 800
- C. X = Customer 1, Y = 400, Z = 400
- D. X = Customer 2, Y = 200, Z = 400

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

Referring to the diagram which privileges would a user require to view United States data when querying the CUBE Calculation view?

Please choose the correct answer.



Response:

- A. Analytic Privilege and SELECT privilege on the CUBE calculation view
- B. SELECT privileges and Analytic Privileges on both views
- C. A SELECT privilege on the CUBE and an analytic privilege (Country = United States) on the DIMENSION calculation view
- D. ASELECT privilege and an analytic privilege (Country = United States) on the DIMENSION calculation view

Answer: C (LEAVE A REPLY)

NEW QUESTION: 61

You created a table using the SQL console inside the HANA deployment infrastructure (HD) container of project You export project and re-import it with a different project name to same database.

What do you observe the SAP HANA database module?

Please choose the correct answer.

Response:

- A. The build is successful and the table and its data are present
- B. The build is successful but the is NOT present
- C. The build fails and the table is NOT present

Answer: (SHOW ANSWER)

Valid C-HANAIMP-17 Dumps shared by TrainingDump.com for Helping Passing C-HANAIMP-17 Exam! TrainingDump.com now offer the **newest C-HANAIMP-17 exam dumps**,

the TrainingDump.com C-HANAIMP-17 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com C-HANAIMP-17 dumps with Test Engine here: <https://www.trainingdump.com/SAP/C-HANAIMP-17-practice-exam-dumps.html>
(82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

Why would you create a procedure?

There are 2 correct answers to this question.

Response:

- A. If you need to provide a data source to a graphical calculation view
- B. If you need to insert records into a table
- C. If you need a mixture of scalar and tabular output parameters
- D. If you need to define a calculated column expression

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 63

In a calculation view, where can you insert SQL code?

Note: There are 3 correct answers to this question.

- A. Hierarchy
- B. Currency conversion
- C. Input parameter
- D. Calculated column expression
- E. Filter expression

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 64

For what type of data are SAP HANA calculation views of type dimension used?

Please choose the correct answer.

Response:

- A. Master data
- B. Transactional data
- C. Materialized cube data
- D. Calculated data

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 65

You want to create a star schema using a calculation view. The measures are based on columns from two transaction tables. Dimension calculation views provide the attributes.

What is the correct approach?

- A. Combine the transaction tables using a join node in a calculation view of type cube with star join.

Use a star join node to join the dimensions to the fact table.

B. Combine the transaction tables using an aggregation node in a calculation view of type cube with star join.

Use a star join node to join the dimensions to the fact table.

C. Combine the transaction tables using a star join node in a calculation view of type cube with star join.

Use a join node to join the dimensions to the fact table.

D. Combine the transaction tables using a join node in a calculation view of type cube.

Use the multi-join capability of the join node to connect the transactional tables with the dimension calculation views.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 66

Which are views of the SAP supplied virtual data model of Embedded Analytics?

There are 2 correct answers to this question.

Response:

A. Basic

B. Attribute

C. Composite

D. Calculation

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 67

You want to build a hierarchy on a time-based data structure, such as year, month, and day.

What type of hierarchy do you use?

Please choose the correct answer.

Response:

A. Ragged hierarchy

B. Parent-child hierarchy

C. Unbalanced hierarchy

D. Level hierarchy

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 68

Which type of tables required extended storage?

Please choose the correct answer.

Response:

A. Multistore tables

B. Row tables

C. In-memory tables

D. Column tables

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

On a weekly basis, you need to extract and transform data from multiple sources such as SAP ERP Microsoft Excel and Apache Hadoop and load the data into SAP HANA.

Which tools can you use?

There are 2 correct answers to this question.

Response:

- A. SAP Landscape Transformation Replication Server
- B. SAP HANA smart data integration
- C. SAP Data Services
- D. SAP HANA smart data access

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

You created a table function to remove previous records, sum the current total weekly working hours for each employee, and updated the personnel table. The build of the table function fails.

Which of the following could be a valid reason?

- A. Your function refers to a scalar function.
- B. You did not define at least one input parameter.
- C. Your function includes a TRUNCATE statement
- D. You did NOT define a valid table type.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 71

What conditions must be met before you can implement time dependency on a hierarchy in a calculation view?

There are 2 correct answers to this question.

Response:

- A. The hierarchy must be a level hierarchy.
- B. The hierarchy must be a parent-child hierarchy.
- C. The hierarchy must be enabled for SQL access
- D. The key date parameter must be derived from an input parameter

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 72

For what SQL keyword is the Aggregation node the equivalent?

Please choose the correct answer.

Response:

- A. GROUP BY
- B. DISTINCT

C. ORDER BY

D. UNIQUE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 73

How do you embed a decision tree in to your calculation view using a table function? Note: There are 2 correct answers to this question.

A. Build a flow graph and call it from the table function using input parameters

B. Copy and adapt the SQL code generated by a flow graph into the table function

C. Call the SAP-provided PAL decision tree procedure from the table function

D. Use dynamic SQL in the table function to generate the SQL code

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

You combine two customer master data tables with a union node in a calculation view. Both master data tables include the same customer name. The same customer can exist in both tables. How do you ensure that each customer appears only once in the results?

A. Add a minus node above the union node.

B. Add an intersect node above the union node.

C. Include an aggregation node above the union node.

D. In the union node, map both source customer name columns to one target column.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

What are the basic spatial shapes you can store in SAP HANA Spatial?

There are 3 correct answers to this question.

Response:

A. Graphs

B. Polygons

C. Lines

D. Points

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 76

Why would you use the XS Advanced migration Assistant?

There are 2 correct answers to this question.

Response:

A. TO convert analytic views to calculation views

B. To convert studio-developed objects for use with Web IDE FOR SAP HANA

C. To convert attribute views to CDS VIEWS

D. To move HDI-developed calculation views to repository packages

Answer: A,B ([LEAVE A REPLY](#))

Valid C-HANAIMP-17 Dumps shared by TrainingDump.com for Helping Passing C-HANAIMP-17 Exam! TrainingDump.com now offer the **newest C-HANAIMP-17 exam dumps**, the TrainingDump.com C-HANAIMP-17 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com C-HANAIMP-17 dumps with Test Engine here: <https://www.trainingdump.com/SAP/C-HANAIMP-17-practice-exam-dumps.html> (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

Why is an integrated deployment approach preferred over the side-car approach to SAP HANA Live?

There are 2 correct answers to this question.

Response:

- A. It offers a simplified landscape.
- B. It provides a quick start for customers using Business Suite on non HANA databases.
- C. Data is available in real time using SLT.
- D. There is no data movement.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

In a calculation view, where can you use SQL?

There are 3 correct answers to this question.

Response:

- A. Aggregation node
- B. Filter expression
- C. Calculated column expression
- D. Union pruning conditions
- E. Input parameter

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 79

What do you use to build a financial report for the company's board members that allows them to choose if they want the report to be in euros or dollars?

Please choose the correct answer.

Response:

- A. An input parameter from an Aggregation node
- B. An input parameter from the Semantics node
- C. A variable from the Semantics node

D. A variable from a Projection node

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 80

What are valid types of calculation view?

There are 3 correct answers to this question.

Response:

- A. Dimension
- B. Dimension with star schema
- C. Cube with star schema
- D. Cube

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 81

Using SAP Analysis for Microsoft Office, your calculation view on SAP application data returns data from two clients. In SAP Web IDE, you have identified the column to be used as the client column.

Which of the following approaches will return data from only one client?

Please choose the correct answer.

Response:

- A. Create a Context for each client.
Assign the relevant Context to each user.
- B. Set the default client property of the Semantic node to Session Client Set the preferred client in the user settings of SAP HANA.
- C. Create a variable on the client column in the properties of the Star join node.
Set flexible default values set for each user.
- D. Create a Union node with two sources.

Filter one source on client 001 and the other source on client 002.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 82

Which tool do you use to display the generated SQL for each node of your calculation view?

- A. Plan Visualizer
- B. SQL Analyzer
- C. Performance Analysis Mode
- D. Debug Query Mode

Answer: D ([LEAVE A REPLY](#))

Valid C-HANAIMP-17 Dumps shared by TrainingDump.com for Helping Passing C-HANAIMP-17 Exam! TrainingDump.com now offer the **newest C-HANAIMP-17 exam dumps**, the TrainingDump.com C-HANAIMP-17 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com C-HANAIMP-17 dumps with Test Engine here: <https://www.trainingdump.com/SAP/C-HANAIMP-17-practice-exam-dumps.html> (82 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)