

## SAP.C\_FIOAD\_2020.v2023-02-13.q54

<b>Exam Code:</b>	C_FIOAD_2020
<b>Exam Name:</b>	Certified Technology Associate – SAP Fiori System Administration
<b>Certification Provider:</b>	SAP
<b>Free Question Number:</b>	54
<b>Version:</b>	v2023-02-13
<b># of views:</b>	1019
<b># of Questions views:</b>	1630
<a href="https://www.dumpsfiles.com/files/SAP/C_FIOAD_2020/SAP.C_FIOAD_2020.v2023-02-13.q54">https://www.dumpsfiles.com/files/SAP/C_FIOAD_2020/SAP.C_FIOAD_2020.v2023-02-13.q54</a>	

### NEW QUESTION: 1

What data can be distributed with Central User Administration (CUA)? There are 2 correct answers to this question.

- A. Single and composite roles
- B. Address data of a user
- C. Authorization profiles
- D. Productive password of a user

**Answer:** ([SHOW ANSWER](#))

### NEW QUESTION: 2

In the Sap Web IDE. What does an SAPUI5 extension project reference?

- A. SAP gateway service
- B. SAPUI5 service
- C. SAPUI5 project
- D. SAP Gateway project

**Answer:** C ([LEAVE A REPLY](#))

### NEW QUESTION: 3

What are some of the functions of the computing center management system (CCMS)? There are 3 correct answers to this question.

- A. Sending system messages to null users (transaction SM02)
- B. Background processing and job monitoring (transaction SM37)
- C. Tuning of the main memory areas (transaction ST02)
- D. Managing lock entries in the lock table (transaction SM12)

**Answer:** A,B,D ([LEAVE A REPLY](#))

### NEW QUESTION: 4

How can you register multiple SAP Gateway services simultaneously? There are 2 correct answers to this question.

- A. Using transaction IWFND GW\_CLIENT.
- B. Using transaction /IWFND MAINT\_SERVICE.
- C. Using task list SAP\_GATEWAY\_BASIC\_CONFIG.
- D. Using task list SAP\_GATEWAY\_ACTIVATE\_ODATA\_SERV.

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 5**

You have configured an SAP Web Dispatcher and set

- wdisp/ssl\_encrypt=2

- icm/server\_port\_<xx> =...PROT=HTTP

Which communication channels does this establish?

- A. HTTP between the client and SAP Web Dispatcher  
HTTP between SAP Web Dispatcher and the SAP system
- B. HTTPS between the client and SAP Web Dispatcher  
HTTPS between SAP Web Dispatcher and the SAP system
- C. HTTPS between the client and SAP Web Dispatcher  
HTTP between SAP Web Dispatcher and the SAP system
- D. HTTP between the client and SAP Web Dispatcher  
HTTPS between SAP Web Dispatcher and the SAP system

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 6**

You have started an SAP S/4HANA 199 system with a PAS instance and two AAS instances.

How many ICM processes are running in this SAP system?

- A. This depends on the setting of profile parameter rdisp/start\_icman.
- B. 4
- C. 2
- D. 3

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 7**

You want to enable apps based on KPI design. How can you register SAP Gateway service /SSB/SMART\_BUSINESS\_RUNTIME\_SRV? There are 2 correct answers to this question.

- A. Using transaction /IWFNDN4\_ADMIN
- B. Using transaction /IWFND/MAINT\_SERVICE
- C. Using task list SAP\_BVA\_SETUP\_INITIAL\_S4HANA
- D. Using task list SAP\_FIORI\_FOUNDATION\_S4

**Answer: B,D (LEAVE A REPLY)**

**NEW QUESTION: 8**

In an ABAP-based SAP system, you have created an RFC destination of type 3, including credentials, on the Logon & Security tab. From which source to which target does this RFC destination point?

- A. From the source system to a target system
- B. From the source client to a target system
- C. From the source client to a target client
- D. From the source system to a target client

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 9**

In an ABAP-based SAP system, which protocols are supported by the ICM process? There are 3 correct answers to this question.

- A. HTTPS
- B. RFC
- C. HTTP
- D. SMTP
- E. DIAG

**Answer: A,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 10**

Which of the following items need to be maintained in the target mapping to locate an SAPUI5 application? There are 3 correct answers to this question.

- A. ICF service URL
- B. Component ID
- C. Application type
- D. System alias
- E. Application configuration

**Answer: A,B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 11**

In an SAP S/4HANA system, what is the data source for key performance indicators (KPIs)?

- A. SAP S/4HANA embedded analytics
- B. SAP HANA extended application services
- C. SAP Business Warehouse powered by SAP HANA
- D. SAP HANA enterprise search

**Answer: A ([LEAVE A REPLY](#))**

**NEW QUESTION: 12**

You have passed the initial authentication for an SAP Fiori transactional app. Which authentication technology is used for subsequent OData calls of this app?

- A. SAP logon tickets
- B. X.509 client certificates
- C. SAML2.0
- D. ABAP Session security

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 13**

You want to enable workflows for SAP Fiori in a central hub Deployment Scenario. Which system alias do you have to create in the FES System?

- A. Pointing to the FES System, marked as local GW, Software version /IWPGW? BWF
- B. Pointing to the FES system, marked as a local GW, Software version DEFAULT
- C. Pointing to the BES system, marked for local applications software version DEFAULT
- D. Pointing to the BES system, marked for local applications, software version /IWPGW/BWF

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 14**

Which of the following are based on the SAP Fiori elements framework? There are 3 correct answers to this question.

- A. Overview page
- B. Object page
- C. List report
- D. Design Studio
- E. Web Dynpro

**Answer: A,B,C (LEAVE A REPLY)**

#### **NEW QUESTION: 15**

What are the advantages of using central hub deployment in an SAP Fiori environment compared to embedded deployment? There are 3 correct answers to this question.

- A. Support of routing and composition of multiple BES Systems
- B. Better performance by reducing the number of remote function calls
- C. Improved data changes tracking when using a single service user in the BES system
- D. Independent lifecycles of SAPUI5 Applications and back-end implementations
- E. Improved Security for internet-facing scenarios

**Answer: A,D,E (LEAVE A REPLY)**

#### **NEW QUESTION: 16**

You want to configure notifications for SAP Fiori. Which tool can you use to publish service group /IWNGW/NOTIFICATION?

- A. Transaction /IWFND/MAINT\_SERVICE

- B. Task list SAP\_FIORI\_FOUNDATION\_S4
- C. Transaction /IWFNDN4\_ADMIN
- D. Task list SAP\_GATEWAY\_ACTIVATE\_ODATA\_SERV

**Answer: C (LEAVE A REPLY)**

**Valid C\_FIOAD\_2020 Dumps** shared by TrainingDump.com for Helping Passing C\_FIOAD\_2020 Exam! TrainingDump.com now offer the **newest C\_FIOAD\_2020 exam dumps**, the TrainingDump.com C\_FIOAD\_2020 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com C\_FIOAD\_2020 dumps with Test Engine here: [https://www.trainingdump.com/SAP/C\\_FIOAD\\_2020-practice-exam-dumps.html](https://www.trainingdump.com/SAP/C_FIOAD_2020-practice-exam-dumps.html) (150 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### **NEW QUESTION: 17**

What happened when you execute a user comparison using transaction PFCG (Role Maintenance) in AS ABAP?

- A. Authorization objects are checked to find missing authorizations.
- B. Authorization in the user master record of two different users are compared.
- C. Profiles are added/deleted from the user master record if required.
- D. Role menus are added to a user master record based on the assigned roles.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 18**

You want to enable apps based on KPI design. Which configuration steps apply to the KPI design? There are 2 correct answers to this question.

- A. Activation of ICF services in the name range /sap/bc/ui5\_ui5/sap/sb\_apps\_\*
- B. registration of the following OData services:  
./SSB/SMART\_BUSINESS\_DESIGNTIME\_SRV  
./SSB/SMART\_BUSINESS\_RUNTIME\_SRV
- C. Registration of the following OData services.  
./UI2/PAGE\_BUILDER\_PERS  
./UI2/INTEROP
- D. Activation of ICF services below node /sap/bc/ui5\_ui5/ui2s

**Answer: A,B (LEAVE A REPLY)**

#### **NEW QUESTION: 19**

What can you do within the SAP web dispatcher web administration UI? There are 2 correct answers to this question.

- A. Modify rewrite rules
- B. Stop SAP web dispatcher

- C. Analyze statistics
- D. Evaluate trace files

**Answer: C,D (LEAVE A REPLY)**

**NEW QUESTION: 20**

You want to create an SAP Fiori tile to launch an SAP GUI Transaction. Which of the following do you have to enter in the corresponding target mapping? There are 3 correct answers to this question.

- A. Transaction code
- B. Application ID
- C. Application name
- D. Application type

**Answer: A,C,D (LEAVE A REPLY)**

**NEW QUESTION: 21**

You have set up your SAP Fiori infrastructure following a central hub deployment. The SAP Fiori transactional apps are working properly. What might be the root cause of the search connectors NOT showing up in your SAP Fiori launchpad?

- A. Communication issues between SAP Web Dispatcher and the FES system
- B. Communication issues between SAP Web Dispatcher and SAP HANA DB
- C. Communication issues between SAP Web Dispatcher and the BES system
- D. Communication issues between FES and BES systems

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 22**

Which transaction can you use to display the value of a profile parameter? There are 2 correct answers to this question.

- A. RZ11
- B. RSPFPAR
- C. RZ04
- D. RZ03

**Answer: A,B (LEAVE A REPLY)**

**NEW QUESTION: 23**

What actions can you perform using the SAP\_FIORI\_FOUNDATION\_S4 task list? There are 3 correct answers to this question.

- A. Replicate backend catalogs.
- B. Schedule a job for calculation of SAPUI5 application index.
- C. Enable SAP GUI for HTML.
- D. Create users with generated business roles.
- E. Generate SAP Fiori foundation roles.

**Answer: A,C,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 24**

After setting up the SAP Fiori Launchpad, you want to configure SAP Fiori analytical apps for an SAP S/4HANA system which of the following might be needed in your SAP systems? There are 2 correct answers to this question.

- A. Activate business intelligence in the BES system
- B. configure the SAP business warehouse client in the FES system
- C. Generate corresponding packages for OData services in the FES system
- D. set parameters for user DDIC in the BES system

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 25**

What are the building blocks of SAP activate? There are 3 correct answers to this question.

- A. Guided configuration
- B. SAP IT Service management
- C. Methodology
- D. SAP best practices
- E. Maintenance planner

**Answer: A,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 26**

In an SAP S/4HANA system, which element group SAP Fiori apps based on the duties of a user?

- A. Technical catalog
- B. Back-end catalog
- C. Business catalog group
- D. Business catalog

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 27**

How can you enable an HTTPS communication channel between SAP Web Dispatcher and an ASAP-based SAP system? There are 2 correct answers to this question.

- A. Import the root certificate of the Certification Authority (CA) which signed the SAP system's SSL server certificate into the SAP Web Dispatcher's client PSE.
- B. Set profile parameter `icm/trusted_reverse_proxy_<x>` in the SAP system to match the subject and issuer of the SAP Web Dispatcher's client PSE.
- C. Sign the SAP Web Dispatchers SSL server certificate by a Certification Authority (CA) trusted by the SAP system.
- D. Import the root certificate of the Certification Authority (CA) which signed the SAP system's SSL client certificate into the SAP Web Dispatcher's server PSE.

**Answer: A,B ([LEAVE A REPLY](#))**

**NEW QUESTION: 28**

In an SAP S/4HANA environment, which elements need a direct connection to the BES system? There are 2 correct answers to this question.

- A. Analytical apps
- B. Fact sheet apps
- C. Legacy apps
- D. SAP fiori search

**Answer: C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 29**

Which of the following can be the source definition of an OData service in ABAP? There are 2 correct answers to this question.

- A. ABAP Managed Database procedure (AMDP)
- B. SAP Gateway project
- C. Core data services (CDS) View
- D. SAP HANA extended application services OData service

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 30**

You have successfully executed all tasks of task list SAP\_FIORI\_REFERENCE\_APPS\_SETUP. What do you have to configure to get the reference apps working?

- A. Generate demo data using transaction SEPM\_DG
- B. Register the corresponding OData services using transaction/IWFND/MAINT\_SERVICE
- C. Create tiles and target mappings in the SAP Fiori launchpad designer
- D. Activate the corresponding SAPUI5 ICF services using transaction SICF

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 31**

Which of the following are SAP Fiori Launchpad clients? There are 3 correct answers to this question.

- A. Any HTML5-ready browser
- B. SAP Fiori Client
- C. SAP HANA Client
- D. SAP Business Client
- E. SAP CRM Web Client

**Answer: A,B,D ([LEAVE A REPLY](#))**

**Valid C\_FIOAD\_2020 Dumps** shared by TrainingDump.com for Helping Passing C\_FIOAD\_2020 Exam! TrainingDump.com now offer the **newest C\_FIOAD\_2020 exam dumps**, the TrainingDump.com C\_FIOAD\_2020 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com C\_FIOAD\_2020 dumps with Test Engine here: [https://www.trainingdump.com/SAP/C\\_FIOAD\\_2020-practice-exam-dumps.html](https://www.trainingdump.com/SAP/C_FIOAD_2020-practice-exam-dumps.html) (150 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 32**

What can users personalize for their SAP Fiori launchpad? There are 2 correct answers to this question.

- A. SAP Fiori launchpad header
- B. SAP Fiori launchpad theme
- C. SAP Fiori groups
- D. SAP Fiori catalogs

**Answer: C,D (LEAVE A REPLY)**

**NEW QUESTION: 33**

Your SAP S/4HANA system with a PAS instance and one AAS instance is not running. The SAP HANA database of this system is up and running. You execute command "sapcontrol-user <sid>adm <password> -nr <Instance Number of AAS> -function StartSystem LEVEL 2" in a suitable environment. Which component(s) of the systems will be started?

- A. The ASCS instance only
- B. The ASCS instance and the PAS instance
- C. The AAS instance only
- D. No instance is started

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 34**

You want to enable workflow for SAP Fiori in an embedded deployment scenario. Which settings are needed for the corresponding system alias?

- A. Local Gateway = false  
For LocalApp = true
- B. Local Gateway = true  
For LocalApp = false
- C. Local Gateway = false  
For LocalApp = false
- D. Local Gateway = true  
For LocalApp = true

**Answer: D (LEAVE A REPLY)**

**NEW QUESTION: 35**

You are responsible for a newly installed (not upgraded) SAP S/4HANA 1610 System with several instances. Two of them are additional applications servers (AAS). How many active profile files are persisted in the profile directory of this SAP s/4HANA system?

- A. 5
- B. 7
- C. 4
- D. 9

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 36**

You want to configure notifications for SAP Fiori in an embedded deployment scenario. Which of the following steps do you have to perform? There are 3 correct answers to this question.

- A. Activate ICF service /sap/opu/odata4 for OData V4.
- B. Maintain and activate push channel with ID SAP\_WEBSOCKET.
- C. Create bgRFC destination IWNGW\_BGRFC.
- D. Provide the backend system alias.
- E. Register bgRFCinbound destination IWNGW\_BEP\_OUT\_BGRFC

**Answer: A,C,E (LEAVE A REPLY)**

**NEW QUESTION: 37**

Which selection options do you have when you execute program /UI2/INVALIDATE\_CLIENT\_CACHES? There are 2 correct answers to this question.

- A. For a selected user
- B. For all users
- C. For all clients
- D. For the current client

**Answer: A,B (LEAVE A REPLY)**

**NEW QUESTION: 38**

What can you do within transaction ESH\_COCKPIT? There are 2 correct answers to this question.

- A. check the number of entires for a connector
- B. Upload a metadata file
- C. Create a connector
- D. view model data

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 39**

Which transactions can you use to check the consistency of catalogs and target mappings? There are 2 correct answers to this question.

- A. /UI2/FLIA
- B. /UI2/FLT
- C. /UI2/FLC
- D. /UI2/LOG

**Answer: A,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 40**

What can you use to establish a secure communication tunnel between an SAP on-premise system and SAP Cloud Platform?

- A. SAP Web Dispatcher
- B. SAP Java Connector
- C. Search Connector (part of SAP Enterprise Search)
- D. Cloud Connector (part of SAP Cloud Platform Connectivity)

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 41**

What does task list SAP\_FIORI\_LAUNCHPAD\_INIT\_SETUP do? There are 3 correct answers to this question.

- A. Activate OData services for SAP Fiori launchpad
- B. Create a trust relationship from the FES to BES system
- C. Activate HTTP services for SAP Fiori Launchpad
- D. Create system alias LOCAL
- E. Activate OData services for KPI design

**Answer: A,C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 42**

Which Databases are supported for an SAP Fiori FES 3.0 System when combined with an SAP S/4HANA 1610 BES system? There are 2 correct answers to this question.

- A. Oracle data base
- B. SAP Max DB
- C. Microsoft SQL server
- D. SAP HANA

**Answer: B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 43**

Which software component contains the SAP Fiori launchpad?

- A. SAP\_GWFND
- B. SAP\_BASIS
- C. SAP\_UI
- D. SAP\_ABA

**Answer: C ([LEAVE A REPLY](#))**

**NEW QUESTION: 44**

Which SAP Fiori floor plan provides domain-specific information for a user on a single page?

- A. Overview page
- B. Analytical list page
- C. Launch page
- D. Object page

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 45**

Which transactions can you use to check the consistency need a direct connection to the BES system? There are 2 correct answers to this question.

- A. Legacy apps
- B. Analytical apps
- C. Fact sheet apps
- D. SAP fiori search

**Answer: A,D (LEAVE A REPLY)**

**NEW QUESTION: 46**

You want to configure the ICM process of an ABAP-based SAP system to support HTTPS. Which steps are relevant? There are 2 correct answers to this question.

- A. Check system profile parameters for metadata exchange
- B. Check system profile parameters for SSL
- C. Maintain the system PSE
- D. Maintain the SSI server PSE

**Answer: B,D (LEAVE A REPLY)**

**Valid C\_FIOAD\_2020 Dumps** shared by TrainingDump.com for Helping Passing C\_FIOAD\_2020 Exam! TrainingDump.com now offer the **newest C\_FIOAD\_2020 exam dumps**, the TrainingDump.com C\_FIOAD\_2020 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com C\_FIOAD\_2020 dumps with Test Engine here: [https://www.trainingdump.com/SAP/C\\_FIOAD\\_2020-practice-exam-dumps.html](https://www.trainingdump.com/SAP/C_FIOAD_2020-practice-exam-dumps.html) (150 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 47**

You want to create your own task list for the ABAP task manager (transaction STC01). Which functions are covered by tasks shipped by SAP? There are 3 correct answers to this question.

- A. Register notification providers
- B. Create transport requests

- C. Set profile parameters
- D. Modify SAP Gateway aliases
- E. Execute ABAP Programs

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 48**

You want to set up SAP Fiori search for SAP S/4HANA 1610. What should you do in the BES system? There are 2 correct answers to this question.

- A. Assign role SAP\_ESH\_SEARCH to your user
- B. Assign role SAP\_ESH\_LOCAL\_ADMIN to your user
- C. Run task list SAP\_ESH\_INITIAL\_SETUP\_WRK\_CLIENT
- D. Run task list SAP\_ESH\_INITIAL\_SETUP\_000\_CLIENT

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 49**

What is one difference between users of user types of Service and Dialog in an ABAP-based SAP system?

- A. Users of user type Service cannot be forced to change their password regularly.
- B. Users of user type Service can only be assigned to one user group.
- C. Users of user type Service cannot logon to the SAP system using SAP GUI.
- D. Users of user type Service are assigned to more restricted password policies.

**Answer:** A ([LEAVE A REPLY](#))

#### **NEW QUESTION: 50**

In an SAP Fiori system landscape, you want to enable fact sheet apps based on Enterprise Search. When do you have to configure routing rules for SAP Web Dispatcher? There are 2 correct answers to this question.

- A. When SAP Gateway service ESH\_SEARCH\_SRV is NOT to be registered
- B. When ICF service /sap/esis NOT to be activated
- C. When implementing a central hub scenario
- D. When implementing an embedded deployment scenario

**Answer:** B,C ([LEAVE A REPLY](#))

#### **NEW QUESTION: 51**

You want to enable communication between the SAP web dispatcher and an ABAP-based SAP system. How do you check prerequisites for the SAP web dispatcher? There are 2 correct answers to this question.

- A. Determine the HTTP port of the PAS instance's ICM Process
- B. Ensure that ICF service /sap/public/icf\_info/icr\_groups is active
- C. Determine the HTTP port of the ABAP message server
- D. Ensure that ICF service/sap/public/ping is active

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 52**

Which processes does an ABAP central services instance provide? There are 2 correct answers to this question.

- A. ABAP message server
- B. Enqueue replication server
- C. Internet Communication Manager
- D. ABAP enqueue server

**Answer: A,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 53**

For which user groups can task list SAP\_FIORI\_FOUNDATION\_S4 generate SAP Fiori foundation roles? There are 2 correct answers to this question.

- A. Administrators
- B. Managers
- C. End-users
- D. Developers

**Answer: A,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 54**

You want to enable context-sensitive user assistance for SAPUI5-based SAP Fiori apps. How do you configure the product and the corresponding version of the help texts?

- A. Via customizing in the BES system (transaction SR13)
- B. Via parameters of the respective target mapping
- C. Via the redirect txt file of the SAP web dispatcher
- D. Via the default of the FES system

**Answer: ([SHOW ANSWER](#))**

**Valid C\_FIOAD\_2020 Dumps** shared by TrainingDump.com for Helping Passing C\_FIOAD\_2020 Exam! TrainingDump.com now offer the **newest C\_FIOAD\_2020 exam dumps**, the TrainingDump.com C\_FIOAD\_2020 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com C\_FIOAD\_2020 dumps with Test Engine here: [https://www.trainingdump.com/SAP/C\\_FIOAD\\_2020-practice-exam-dumps.html](https://www.trainingdump.com/SAP/C_FIOAD_2020-practice-exam-dumps.html) (150 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)