

Salesforce.Plat-Dev-201.v2026-08-20.q78

Exam Code:	Plat-Dev-201
Exam Name:	Salesforce Certified Platform Developer
Certification Provider:	Salesforce
Free Question Number:	78
Version:	v2026-08-20
# of views:	472
# of Questions views:	945
https://www.dumpsfiles.com/files/Salesforce/Plat-Dev-201/Salesforce.Plat-Dev-201.v2026-08-20.q78	

NEW QUESTION: 1


In the Lightning UI, where should a developer look to find information about a Paused Flow Interview?

- A. On the Paused Row Interviews related List for a given record
- B. On the Paused Row Interviews component on the Home page
- C. In the system debug log by Altering on Paused Row Interview
- D. In the Paused Interviews section of the Apex Flex Queue

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 2

Refer to the following Apex code:



What is the value of x when it is written to the debug log?

- A. 2
- B. 1
- C. 0
- D. 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

Which statement should be used to allow some of the records in a list of records to be inserted if others fail to be inserted?

- A. insert records
- B. Database.insert (records, true)
- C. Database.insert (records, false)
- D. insert (records, false)

Answer: (SHOW ANSWER)

NEW QUESTION: 4

A developer has a Apex controller for a Visualforce page that takes an ID as a URL parameter. How should the developer prevent a cross site scripting vulnerability?

- A. String.escapeSingleQuotes(ApexPages.currentPage().getParameters().get('url_param'))
- B. ApexPages.currentPage().getParameters().get('url_param').escapeHtml4()
- C. ApexPages.currentPage().getParameters().get('url_param')
- D. String.ValueOf(ApexPages.currentPage().getParameters().get('url_param'))

Answer: B (LEAVE A REPLY)

NEW QUESTION: 5

A developer created a child Lightning web component nested inside a parent Lightning web component, parent component needs to pass a string value to the child component.

In which two ways can this be accomplished?

Choose 2 answers

- A. The parent component can use a public property to pass the data to the child component.
- B. The parent component can use the Apex controller class to send data to the child component.
- C. The parent component can invoke a method in the child component
- D. The parent component can use a custom event to pass the data to the child component,

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 6

The values 'High', 'Medium', and 'Low' are Identified as common values for multiple picklist across different object. What is an approach a developer can take to streamline maintenance of the picklist and their values, while also restricting the values to the ones mentioned above?

- A. Create the Picklist on each object and select "Restrict picklist to the values defined in the value set".
- B. Create the Picklist on each object and use a Global Picklist Value Set containing the Values.
- C. Create the Picklist on each object as a required field and select "Display values alphabetically, not in the order entered".
- D. Create the Picklist on each and add a validation rule to ensure data integrity.

Answer: (SHOW ANSWER)

NEW QUESTION: 7

When using SalesforceDX, what does a developer need to enable to create and manage scratch orgs?

- A. Production
- B. Dev Hub
- C. Environment Hub
- D. Sandbox

Answer: B (LEAVE A REPLY)

When using SalesforceDX, a developer needs to enable Dev Hub in order to create and manage scratch orgs. A Dev Hub is a special type of org used by developers to store source code and other development-related artifacts. It is also used to create and manage scratch orgs, which are temporary orgs used for development and testing.

Reference: https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_intro.htm

NEW QUESTION: 8

A Next Best Action strategy uses an Enhance element that invokes an Apex method to determine a discount level for a Contact, based on a number of factors.

What is the correct definition of the Apex method?

- A.

```
@InvocableMethod
global List<List<Recommendation>> getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
```
- B.

```
@InvocableMethod
global Recommendation getLevel(ContactWrapper input)
{ /*implementation*/ }
```
- C.

```
@InvocableMethod
global static ListRecommendation getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
```
- D.

```
@InvocableMethod
global static List<List<Recommendation>> getLevel(List<ContactWrapper> input)
{ /*implementation*/ }
```

Answer: D (LEAVE A REPLY)

NEW QUESTION: 9

A developer wants to import 500 Opportunity records into a sandbox. Why should the developer choose to use data Loader instead of Data Import Wizard?

- A. Data Loader runs from the developer's browser.
- B. Data Import Wizard does not support Opportunities.
- C. Data Loader automatically relates Opportunities to Accounts.
- D. Data Import Wizard cannot import all 500 records.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 10

A developer must create a lightning component that allows users to input contact record information to create a contact record, including a salary__c custom field. what should the developer use, along with a lightning-record-edit form, so that salary__c field functions as a currency input and is only viewable and editable by users that have the correct field levelpermissions on salary__C?

- A. <lightning-input type="number" value="Salary__c" formatter="currency"> </lightning-input>
- B. <lightning-input-field field-name="Salary__c">
</lightning-input-field>
- C. <lightning-formatted-number value="Salary__c" format-style="currency"> </lightning-formatted- number>
- D. <lightning-input-currency value="Salary__c">
</lightning-input-currency>

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

What does the Lightning Component framework provide to developers?

- A. Templates to create custom components.
- B. Support for Classic and Lightning UIS.
- C. Extended governor limits for applications
- D. Prebuilt component that can be reused.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which action causes a before trigger to fire by default for Accounts?

- A. Converting Leads to Contact accounts
- B. Updating addresses using the Mass Address update tool
- C. Importing data using the Data Loader and the Bulk API
- D. Renaming or replacing picklist

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 13

Universal Containers has implemented an order management application. Each Order can have one or more Order Line items. The Order Line object is related to the Order via a master-detail relationship. For each Order Line item, the total price is calculated by multiplying the Order Line item price with the quantity ordered.

What is the best practice to get the sum of all Order Line item totals on the Order record?

- A. Roll-up summary field
- B. Quick action
- C. Formula field
- D. Apex trigger

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

Universal Containers stores the availability date on each Line Item of an Order and Orders are only shipped when all of the Line Items are available. Which method should be used to calculate the estimated ship date for an Order?

- A. Use a Max Roll-Up Summary field on the Latest availability date fields.
- B. Use a DAYS formula on each of the availability date fields and a COUNT Roll-Up Summary field on the Order.
- C. Use a CEILING formula on each of the Latest availability date fields.
- D. Use a LATEST formula on each of the latest availability date fields.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

When writing an Apex class, a developer wants to make sure that all functionality being developed is handled as specified by the requirements.

Which approach should the developer use to be sure that the Apex class is working according to specification?

- A. Include a savepoint and Database.rollback.
- B. Run the code in an Execute Anonymous block in the Developer Console.
- C. Create a test class to execute the business logic and run the test in the Developer Console.
- D. Include a try/catch block to the Apex class.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

A developer has a single custom controller class that works with a Visualforce Wizard to support creating and editing multiple subjects. The wizard accepts data from user inputs across multiple Visualforce pages and from a parameter on the initial URL. Which three statements are useful inside the unit test to effectively test the custom controller? Choose 3 answers

- A. Test.setCurrentPage(pageRef);
- B. ApexPages.currentPage().getParameters().put('input', 'TestValue');
- C. insert pageRef.
- D. public ExtendedController(ApexPages.StandardController ctrl) { }
- E. String nextPage = controller.save().getUrl();

Answer: ([SHOW ANSWER](#))

Valid Plat-Dev-201 Dumps shared by TrainingDump.com for Helping Passing Plat-Dev-201 Exam!

TrainingDump.com now offer the **newest Plat-Dev-201 exam dumps**, the TrainingDump.com Plat-Dev-201 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com Plat-Dev-201 dumps with Test Engine here: <https://www.trainingdump.com/Salesforce/Plat-Dev-201-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

An org has an existing Flow that creates an Opportunity with an Update Records element. A developer updates the Flow to also create a Contact and store the created Contact's ID on the Opportunity.

Which update should the developer make in the Flow?

- A. Add a new Quick Action element(of type Create).
- B. Add a new Get Records element.
- C. Add a new Update Records element.
- D. Add a new Create Records element.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

A developer has identified a method in an Apex class that performs resource intensive actions in memory by iterating over the result set of a SOQL statement on the account. The method also performs a DML statement to save the changes to the database. Which two techniques should the developer implement as a best practice to ensure transaction control and avoid exceeding governor limits? Choose 2 answers

- A. Use partial DML statements to ensure only valid data is committed.
- B. Use the Reentrant annotation to bypass the number of rows returned by a SOQL.
- C. Use the Database.Savepoint method to enforce database integrity.
- D. Use the System.Limit class to monitor the current CPU governor limit consumption.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

A business has a proprietary Order Management System (OMS) that creates orders from their website and fulfills the orders. When the order is created in the OMS, an integration also creates an order record in Salesforce and relates it to the contact as identified by the email on the order.

As the order goes through different stages in the OMS, the integration also updates it in Salesforce. It is noticed that each update from the OMS creates a new order record in Salesforce.

Which two actions will prevent the duplicate order records from being created in Salesforce?

Choose 2 answers

- A. Ensure that the order number in the OMS is unique.
- B. Use the order number from the OMS as an external ID.
- C. Use the email on the contact record as an external ID.
- D. Write a before trigger on the order object to delete any duplicates.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 20

A primaryid_c custom field exists on the candidate_c custom object. The field is used to store each candidate's id number and is marked as Unique in the schema definition. As part of a data enrichment process, Universal Containers has a CSV file that contains updated data for all candidates in the system, the file contains each Candidate's primary id as a data point. Universal Containers wants to upload this information into Salesforce, while ensuring all data rows are correctly mapped to a candidate in the system.

Which technique should the developer implement to streamline the data upload?

- A. Upload the CSV into a custom object related to Candidate_c.
- B. Create a Process Builder on the Candidate_c object to map the records.

- C. Create a before Insert trigger to correctly map the records.
- D. Update the primaryid__c field definition to mark it as an External Id

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

What is an example of a polymorphic lookup field in Salesforce?

- A. A custom field, Link__c, on the standard Contact object that looks up to an Account or a Campaign
- B. The WhatId field on the standard Event object
- C. The ParentId field on the standard Account object
- D. The LeadId and ContactId fields on the standard Campaign Member object

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

- A. Use the @isTest(isParallel=true) annotation in the test class.
- B. Use the @isTest(seeAllData=true) annotation in the test class.
- C. Use Test.loadData to populate data in your test methods.
- D. Create a static resource containing test data.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which statement describes the execution order when trigger are associated to the same object and event?

- A. Trigger execution order cannot be guaranteed.
- B. Triggers are executed in the order they are modified
- C. Triggers are executed in the order they are created..
- D. Triggers are executed alphabetically by trigger name.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

As part of new feature development, a developer is asked to build a responsive application capable of responding to touch events, that will be executed on stateful clients. Which two technologies are built on a framework that fully supports the business requirement? Choose 2 answers

- A. Lightning Web Components
- B. Aura Components
- C. Visualforce Pages
- D. Visualforce Components

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 25

What is the result of the following code?

- A. The record will be created and no error will be reported.
- B. The record will not be created and a exception will be thrown.
- C. The record will be created and a message will be in the debug log.
- D. The record will not be created and no error will be reported.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

What should a developer use to obtain the Id and Name of all the Leads, Accounts, and Contacts that have the company name "Universal Containers"?

- A. FIND 'Universal Containers' IN Name Fields RETURNING leadjid, name), accounted, name), contacted, name)
- B. SELECT Lead.id, Lead.Name, Account.Id, AccountName, Contacted, Contact.Name FROM Lead, Account, Contact WHERE CompanyName = 'Universal Containers'
- C. SELECT lead(id, name), accountOd, name), contacted, name) FROM Lead, Account, Contact WHERE Name = 'universal Containers'
- D. FIND Universal Containers' IN CompanyName Fietds RETURNING lead{ld, name), accounted, name), contacted, name)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

Universal Container wants Opportunities to no longer be editable when it reaches the Closed/Won stage. Which two strategies can a developer use to accomplish this? Choose 2 answer

- A. Use a trigger
- B. Use an after-save flow.
- C. Use the Process Automation settings.
- D. Use a validation

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

A developer is implementing an Apex class for a financial system. Within the class, the variables 'creditAmount' and 'debtAmount' should not be able to change once a value is assigned. In which two ways can the developer declare the variables to ensure their value can only be assigned one time? Choose 2 answers

- A. Use the static keyword and assign its value in the class constructor.
- B. Use the final keyword and assign its value in the class constructor.
- C. Use the final keyword and assign its value when declaring the variable.
- D. Use the static keyword and assign its value in a static initializer.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 29

A developer created this Apex trigger that calls MyClass.myStartmethod:

```
trigger myTrigger on Contact (before insert)
{
    MyClass.myStaticMethod(trigger.new);
}
```

The developer creates a test method that calls MyClass.myStaticMethod directly, resulting in 81% overall code coverage. What happens when the developer tries to deploy the ... and two classes to production, assuming no other code exists?

- A. The deployment passes because the Apex code has the required 75% code coverage.
- B. The deployment fails because no assertions were made in the test method.
- C. The deployment fails because the Apex class has no code coverage.
- D. The deployment passes because both classes and the trigger were included in the deployment.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which Salesforce org has a complete duplicate copy of the production org including data and configuration?

- A. Production
- B. Developer Pro Sandbox
- C. Full Sandbox
- D. Partial Copy Sandbox

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 31

A team of many developers work in their own individual orgs that have the same configuration as the production org. Which type of org is best suited for this scenario?

- A. Full Sandbox
- B. Developer Edition
- C. Developer Sandbox
- D. Partner Developer Edition

Answer: A ([LEAVE A REPLY](#))

Valid Plat-Dev-201 Dumps shared by TrainingDump.com for Helping Passing Plat-Dev-201 Exam!

TrainingDump.com now offer the **newest Plat-Dev-201 exam dumps**, the TrainingDump.com Plat-Dev-201 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com Plat-Dev-201 dumps with Test Engine here: <https://www.trainingdump.com/Salesforce/Plat-Dev-201-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

A developer needs to make a custom Lightning Web Component available in the Salesforce Classic user interface. Which approach can be used to accomplish this?

- A. Use a Visualforce page with a custom controller to invoke the Lightning Web Component using a call to an Apex method.
- B. Wrap the Lightning Web Component in an Aura Component and surface the Aura Component as a Visualforce tab.

C. Use the Lightning Out JavaScript library to embed the Lightning Web Component in a Visualforce page and add to the page layout.

D. Embed the Lightning Web Component is a Visualforce Component and add directly to the page layout.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

A developer must create a DrawList class that provides capabilities defined in the Sortable and Drawable interfaces.
public interface Sortable { void sort(); } public interface Drawable { void draw(); } Which is the correct implementation?

A. Public class DrawList implements Sortable, Drawable { public void sort() { /*implementation*/ } public void draw() { /*implementation*/ } }

B. Public class DrawList extends Sortable, Drawable { public void sort() { /*implementation*/ } public void draw() { /*implementation*/ } }

C. Public class DrawList extends Sortable, extends Sortable, extends Drawable { public void sort() { /*implementation*/ } public void draw() { /* implementation */ } }

D. Public class DrawList implements Sortable, Implements Drawable { public void sort() { /*implementation*/ } public void draw() { /*implementation*/ } }

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

What are three considerations when using the @InvocableMethod annotation in Apex? Choose 3 answers

A. Only one method using the @InvocableMethod annotation can be defined per Apex class.

B. A method using the @InvocableMethod annotation must be declared as static

C. A method using the @InvocableMethod annotation can be declared as Public or Global.

D. A method using the @InvocableMethod annotation must define a return value.

E. A method using the @InvocableMethod annotation can have multiple input parameters.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which code in a Visualforce page and/or controller might present a security vulnerability?

A. <apex:outputfield value="{!ctrl.userinput}" rendered="{!isfditable}" />

B. <apex:outputField value="{ctrl.userInput}" />

C. <apex:outputText value="{!SCurrentPage.parameters.userInput}" />

D. <apex:outputText escape="false" value="{!sCurrentPage.parameters.userInput}TM" />

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 36

The code below deserializes input into a list of Accounts.

```
01 public class AcctCreator {  
02     public void accounts() {  
03         String acctsJson = getAccountsJson();  
04         List<Account> accts = (List<Account>) JSON.deserialize(acctsJson,  
05             List<Account>.class);  
06         // DML to insert accounts  
07     }  
08     // ... other code including getAccountJson implementation  
09 }
```

Which code modification should be made to insert the Accounts so that field-level security is respected?

- A. 05: SubjectAccessDecision sd= Security.stripInaccessible(AccessType.CREATEABLE,
- B. 01: Public with sharing class AcctCreator
- C. 05: If (SubjectType.Account, isCreatable())
- D. 05: Accts = database.stripInaccessible (accts, Database. CREATEABLE);

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

A Lightning component has a wired property, searchResults, that stores a list of Opportunities.

Which definition of the Apex method, to which the searchResults property is wired, should be used?

- A. @AuraEnabled(cacheable=true)
public static List<Opportunity> search(String term) { /* implementation*/ }
- B. @AuraEnabled(cacheable=true) public List<Opportunity> search(String term)
{ /*implementation*/ }
- C. @AuraEnabled(cacheable=false) public static List<Opportunity> search(String term)
{ /*implementation*/ }
- D. @AuraEnabled(cacheable=false) public List<Opportunity> search(String term)
{ /*implementation*/ }

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

What are two benefits of using declarative customizations over code? Choose 2 answers

- A. Declarative customizations cannot generate run time errors.
- B. Declarative customizations automatically generate test classes.
- C. Declarative customizations automatically update with each Salesforce release.
- D. Declarative customizations generally require less maintenance.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 39

A developer wants to mark each Account in a List<Account> as either or Inactive based on the LastModified field value being more than 90 days.

Which Apex technique should the developer use?

- A. An If/else statement, with a for loop inside
- B. A for loop, with an if/else statement inside
- C. A Switch statement, with a for loop inside
- D. A for loop, with a switch statement inside

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 40

Universal Containers (UC) processes orders in Salesforce in a custom object, Order__c. They also allow sales reps to upload CSV files with orders at a time.

A developer is tasked with integrating orders placed in Salesforce with UC's enterprise resource planning (ERP) system.

After the status for an Order__c is first set to "Placed", the order information must be sent to a REST endpoint in the ERP system that can process one order at a time.

What should the developer implement to accomplish this?

- A. Callout from a Satchel class called from a scheduled job
- B. Callout from a Queueable class called from a trigger
- C. Flow with 2 callouts from an invocable method
- D. Callout from an Apex method called from a trigger

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

A developer is tasked with building a custom Lightning web component to collect Contact information.

The form will be shared among many different types of users in the org. There are security requirements that only certain fields should be edited and viewed by certain groups of users.

What should the developer use in their Lightning Web Component to support the security requirements?

- A. ui-input-field
- B. lightning-input-field
- C. aura-input-field
- D. force-input-field

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 42

Universal Container uses Service Cloud with a custom field, stage__c, on the Case object.

Management wants to send a follow-up email reminder 6 hours after the stage__c field is set to

"Waiting on customer". The ... Administrator wants to ensure the solution used is bulk safe.

Which two automation tools should a developer recommend to meet these business requirements? Choose 2 answers

- A. Scheduled Flow
- B. Process Builder
- C. Record_Triggered Flow
- D. Einstein Next Best Action

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 43

Managers at Universal Containers want to ensure that only decommissioned containers are able to be deleted in the system. To meet the business requirement a Salesforce developer adds

"Decommissioned" as picklist value for the Statu3__c custom field within the Container__c object.

Which two approaches could a developer use to enforce only Container records with a status of "Decommissioned" can be deleted? Choose 2 answers

- A. Apex trigger
- B. Before record-triggered flow
- C. After record-triggered flow
- D. Validation rule

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

What should a developer use to script the deployment and unit test execution as part of continuous integration?

- A. Developer Console
- B. Salesforce CLI
- C. VS Code
- D. Execute Anonymous

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 45

A developer is asked to write helper methods that create test data for unit tests.

```
01: public TestUtils {  
02:  
03:     public static Account createAccount() {  
04:         Account act = new Account();  
05:         // ...set some fields on acct...  
06:         return act;  
07:     }  
08:     //...other methods...  
09: }
```

What should be changed in the Testutils class so that its methods are only usable by unit test methods?

- A. Add @IsTest above line 01.
- B. Remove static from line 03.
- C. Change public to private on line 01.

D. Add @IsTest above line 03,

Answer: D (LEAVE A REPLY)

NEW QUESTION: 46

An Opportunity needs to have an amount rolled up from a custom object that is not in a master- detail relationship. How can this be achieved?

- A. Write a trigger on the child object and use an aggregate function to sum the amount for all related child objects under the Opportunity
- B. Use the Streaming API to create real-time roll-up summaries.
- C. Write a trigger on the child object and use a red-black tree sorting to sum the amount for all related child objects under the Opportunity.
- D. Write a Process Builder that links the custom object to the Opportunity.

Answer: A (LEAVE A REPLY)

Valid Plat-Dev-201 Dumps shared by TrainingDump.com for Helping Passing Plat-Dev-201 Exam!

TrainingDump.com now offer the **newest Plat-Dev-201 exam dumps**, the TrainingDump.com Plat-Dev-201 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com Plat-Dev-201 dumps with Test Engine here: <https://www.trainingdump.com/Salesforce/Plat-Dev-201-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

What are two use cases for executing Anonymous Apex code? Choose 2 answers

- A. To run a batch Apex class to update all Contacts
- B. To add unit test code coverage to an org
- C. To schedule an Apex class to run periodically
- D. To delete 15,000 inactive Accounts In a single transaction after a deployment

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 48

A developer created this Apex trigger that calls MyClass.myStaticMethod:

```
trigger myTrigger on Contact (before insert)
{
    MyClass.myStaticMethod(trigger.new);
}
```

The developer creates a test class with a test method that calls MyClass.myStaticMethod directly, resulting in 81% overall code coverage.

What happens when the developer tries to deploy the trigger and two classes to production, assuming no other code exists?

- A. The deployment fails because the Apex trigger has no code coverage.
- B. The deployment passes because the Apex code has the required >75% code coverage.

- C. The deployment passes because both classes and the trigger were included in the deployment.
- D. The deployment fails because no assertions were made in the test method.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

Consider the following code snippet for a Visualforce page that is launched using a Custom Button on the Account detail page layout.

```
<apex:page standardController="Account">
  <!-- additional UI elements -->
  <apex:commandButton action="{!save}" value="Save"/>
</apex:page>
```

When the Save button is pressed the developer must perform a complex validation that involves multiple objects and, upon success, redirect the user to another Visualforce page.

What can the developer use to meet this business requirement?

- A. Apex trigger
- B. Custom controller
- C. Controller extension
- D. Validation rule

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 50

Universal Containers wants to automatically assign new cases to the appropriate support representative based on the case origin. They have created a custom field on the Case object to store the support representative name.

What is the best solution to assign the case to the appropriate support representative?

- A. Use a trigger on the Case object.
- B. Use a validation rule on the Case object.
- C. Use a formula field on the case object.
- D. Use an Assignment Flow element.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

A developer is creating a Lightning web component to show a list of sales records.

The Sales Representative user should be able to see the commission field on each record. The Sales Assistant user should be able to see all fields on the record except the commission field.

How should this be enforced so that the component works for both users without showing any errors?

- A. Use Lightning Locker Service to enforce sharing rules and field-level security.
- B. Use Lightning Data Service to get the collection of sales records.
- C. Use Security.stripInaccessible to remove fields inaccessible to the current user.
- D. Use WITH SECURITY_ENFORCED in the SOQL that fetches the data for the component.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 52

Universal Containers has large number of custom applications that were built using a third-party JavaScript framework and exposed using Visualforce pages. The Company wants to update these applications to apply styling that resembles the look and feel of Lightning Experience. What should the developer do to fulfill the business request in the quickest and most effective manner?

- A. Set the attribute enableLightning to true in the definition.
- B. Enable Available for Lightning Experience, Lightning Communities, and the mobile app on Visualforce pages used by the custom application.
- C. Rewrite all Visualforce pages as Lightning components.
- D. Incorporate the Salesforce Lightning Design System CSS stylesheet into the JavaScript applications.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 53

How can a developer check the test coverage of active Process Builder and Flows deploying them in a Changing Set?

- A. Use SOQL and the Tooling API
- B. Use the code Coverage Setup page
- C. Use the Flow properties page.
- D. Use the Apex testresult class

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 54

Where are two locations a developer can look to find information about the status of asynchronous or future methods?

Choose 2 answers

- A. Paused Flow Interviews component
- B. Apex Jobs
- C. Apex Flex Queue
- D. Time-Based Workflow Monitor

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 55

Universal Containers (UC) is developing a process for their sales teams that requires all sales reps to go through a set of scripted steps with each new customer they create. In the first steps of collecting information, UC's ERP system must be checked via as a REST endpoint to see if the customer exists. If the customer exists, the data must be presented to the sales rep in Salesforce.

Which two should a developer implement to satisfy the requirements? Choose 2 answer

- A. Flow
- B. Invocable method
- C. Trigger
- D. Future method

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 56

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit.

```
public class without sharing OpportunityService {  
    public static List<OpportunityLineItem>  
    getOpportunityProducts(Set<Id> opportunityIds) {  
        List<OpportunityLineItem> oppLineItems = new  
        List<OpportunityLineItem>();  
        for(Id thisOppld:  
        opportunityIds) {  
            oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId  
            = :thisOppld]);  
        }  
        return oppLineItems;  
    }  
}
```

The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Use the `System.Limits.getQueries()` method to ensure the number of queries is less than 100.
- B. Use the `System.Limits.getLimitQueries()` method to ensure the number of queries is less than 100.
- C. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less than 100 Ids.
- D. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 57

Which two events need to happen when deploying to a production org? Choose 2 answers

- A. All Apex code must have at least 75% test coverage.
- B. All triggers must have at least 1% test coverage.
- C. All triggers must have at least 75% test coverage.
- D. All test and triggers must have at least 75% test coverage combined

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 58

What are three capabilities of the `<ltng : require>` tag when loading JavaScript resources in Aura components? Choose 3 answers

- A. Specifying loading order
- B. Loading externally hosted scripts
- C. One-time loading for duplicate scripts
- D. Loading scripts in parallel
- E. Loading files from Documents

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 59

An Apex method, `getAccounts`, that returns a list of Accounts given a searchTerm, is available for Lightning Web Components to use.

What is the correct definition of a Lightning Web Component property that uses the `getAccounts` method?

```
@AuraEnabled(getAccounts, { searchTerm: '{searchTerm}' })
```

A. `accountList;`

- ```
@AuraEnabled(getAccounts, '%searchTerm')
accountList;

@wire(getAccounts, { searchTerm: '%searchTerm' })
accountList;

@wire(getAccounts, '%searchTerm')
accountList;
```
- B. accountList;
- C. accountList;
- D. accountList;

**Answer: A** ([LEAVE A REPLY](#))

#### NEW QUESTION: 60

Universal Container wants Opportunities to no longer be editable when reaching the Cloud stage.  
How should a developer accomplish this?

- A. Use a validation rule.
- B. Use flow Builder
- C. Mark fields as read-only on the page layout.
- D. Use the Process Automation setting.

**Answer: A** ([LEAVE A REPLY](#))

#### NEW QUESTION: 61

The following code snippet is executed by a Lightning web component in an environment with more than 2,000 lead records:

```
@AuraEnabled
public void static updateLeads() {
 for(Lead thisLead : [SELECT Origin__c FROM Lead]) {
 thisLead.LeadSource = thisLead.Origin;
 update thisLead;
 }
}
```

Which governor limit will likely be exceeded within the Apex transaction?

- A. Total number of records processed as a result of DML statements
- B. Total number of records retrieved by SOQL queries
- C. Total number of SOQL queries issued
- D. Total number of DML statement issued

**Answer: B** ([LEAVE A REPLY](#))

**Valid Plat-Dev-201 Dumps** shared by TrainingDump.com for Helping Passing Plat-Dev-201 Exam!

TrainingDump.com now offer the **newest Plat-Dev-201 exam dumps**, the TrainingDump.com Plat-Dev-201 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com Plat-

Dev-201 dumps with Test Engine here: <https://www.trainingdump.com/Salesforce/Plat-Dev-201-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

#### NEW QUESTION: 62

While developing an Apex class with custom search functionality that will be launched from a Lightning Web Component, how can the developer ensure only records accessible to the currently logged in user are displayed?

- A. Use the `inherited sharing` keyword.
- B. Use the `with sharing` keyword.
- C. Use the `WITH SECURITY_ENFORCED` clause within the SOQL.
- D. Use the `without sharing` keyword.

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 63

A company wants to implement a new call center process for handling customer service calls. It requires service reps to ask for the caller's account number before proceeding with the rest of their call script.

Following best practices, what is the optimal approach to satisfy this requirement?

- A. Einstein Next Best Action
- B. Flow Builder
- C. Approvals
- D. Apex trigger

Answer: ([SHOW ANSWER](#))

#### NEW QUESTION: 64

Which statement is true regarding execution order when triggers are associated to the same object and event?

- A. Triggers are executed alphabetically by trigger name.
- B. Trigger execution order cannot be guaranteed.
- C. Triggers are executed in the order they are created.
- D. Executed in the order they are modified.

Answer: B ([LEAVE A REPLY](#))

#### NEW QUESTION: 65

A developer wants to improve runtime performance of Apex calls by caching result on the client.

What is the most efficient way to implement this and follow best practices?

- A. Decorate the server-side method with `@AuraEnabled (cacheable=true)`.
- B. Set a cookie in the browser for use upon return to the page.
- C. Call the `setStorable()` method on the action in the JavaScript client-side code.
- D. Decorate the server-side method with `@AuraEnabled (total=true)`.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 66**

When importing and exporting data into Salesforce, which two statements are true? Choose 2 answers

- A. Data import wizard is a client application provided by Salesforce.
- B. Developer and Developer Pro sandboxes have different storage limits.
- C. Bulk API can be used to bypass the storage limits when importing large data volumes in development environments.
- D. Bulk API can be used to import large data volumes in development environments without bypassing the storage limits.

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 67**

For which three items can 2 trace flag be configured? Choose 3 answers

- A. Flow
- B. Visualforce
- C. User
- D. Apex Trager
- E. Apex Class

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 68**

Which Lightning code segment should be written to declare dependencies on a Lightning component, c:accountList, that is used in a Visualforce page?

- A. 

```
<aura:application access="GLOBAL">
 <aura:dependency resource="c:accountList"/>
</aura:application>
```
- B. 

```
<aura:component access="GLOBAL">
 <aura:dependency resource="c:accountList"/>
</aura:component>
```
- C. 

```
<aura:component access="GLOBAL" extends="ltng:outApp">
 <aura:dependency resource="c:accountList"/>
</aura:component>
```
- D. 

```
<aura:application access="GLOBAL" extends="ltng:outApp">
 <aura:dependency resource="c:accountList"/>
</aura:application>
```

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 69**

Universal Container(UC) wants to lower its shipping cost while making the shipping process more efficient. The Distribution Officer advises UC to implement global addresses to allow multiple Accounts to share a default pickup address. The Developer is tasked to create the supporting object and relationship for this business requirement and uses the Setup Menu to create a custom object called "Global Address". Which field should the developer add to create the most efficient model that supports the business need?

- A. Add a Master-Detail field on the Account object to the Global Address object
- B. Add a Lookup field on the Global Address object to the Account object

- C. Add a Master-Detail field on the Global Address object to the Account object.
- D. Add a Lookup field on the Account object to the Global Address object.

**Answer: C** ([LEAVE A REPLY](#))

#### NEW QUESTION: 70

A developer at Universal Containers is tasked with implementing a new Salesforce application that will be maintained completely by their company's Salesforce administrator. Which two options should be considered for building out the business logic layer of the application? Choose 2 answers

- A. Record-Triggered flows
- C. Scheduled
- B. Unusable Actions
- C. Validation Rules

**Answer: A,C** ([LEAVE A REPLY](#))

#### NEW QUESTION: 71

While working in a sandbox, an Apex test fails when run in the Test Runner. However, executing the Apex logic in the Execute Anonymous window succeeds with no exceptions or errors. Why did the method fail in the sandbox test framework but succeed in the Developer Console?

- A. The test method has a syntax error in the code.
- B. The test method is calling an future method.
- C. The test method relies on existing data in the sandbox.
- D. The test method does not use System.runAs to execute as a specific user.

**Answer: C** ([LEAVE A REPLY](#))

#### NEW QUESTION: 72

A developer needs to prevent the creation of Request\_\_c records when certain conditions exist in the system. A RequestLogic class exists that checks the conditions.

What is the correct implementation?

- ```
trigger RequestTrigger on Request__c (after insert) {
    if (RequestLogic.isValid(Request__c))
        Request.addError('Your request cannot be created at this time.');
```
- A. }

```
trigger RequestTrigger on Request__c (before insert) {
    RequestLogic.validateRecords(trigger.new);
```

 - B. }

```
trigger RequestTrigger on Request__c (before insert) {
    if (RequestLogic.isValid(Request__c))
        Request.addError('Your request cannot be created at this time.');
```

 - C. }

```
trigger RequestTrigger on Request__c (after insert) {
    RequestLogic.validateRecords(trigger.new);
```

 - D. }

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 73

A developer must create a CreditcardPayment class that provides an implementation of an existing Payment class.
Public virtual class Payment { public virtual void makePayment(Decimal amount) { /*implementation*/ } } Which is the correct implementation?

- A.** Public class CreditCardPayment extends Payment {
public virtual void makePayment(Decimal amount) { /*implementation*/ } }
- B.** Public class CreditCardPayment implements Payment {
public virtual void makePayment(Decimal amount) { /*implementation*/ } }
- C.** Public class CreditCardPayment implements Payment {
public override void makePayment(Decimal amount) { /*Implementation*/ } }
- D.** Public class CreditcardPayment extends Payment {
public override void makePayment(Decimal amount) { /*implementation*/ } }

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

Which two scenarios require an Apex method to be called imperatively from a Lightning web component? Choose 2 answer

- A.** Calling a method that makes a web service callout
- B.** Calling a method with the click of a button
- C.** Calling a method that is external to the main controller for the Lightning web component
- D.** Calling a method that is not annotated with cacheable=true

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

A developer must perform a complex SOQL query that joins two objects in a Lightning component.
How can the Lightning component execute the query?

- A.** Invoke an Apex class with the method annotated as &AuraEnabled to perform the query.
- B.** Use the Salesforce Streaming API to perform the SOQL query.
- C.** Create a flow to execute the query and invoke from the Lightning component
- D.** Write the query in a custom Lightning web component wrapper and invoke from the Lightning component,

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

Since Aura application events follow the traditional publish-subscribe model, which method is used to fire an event?

- A.** registerEvent()
- B.** fireEvent()
- C.** fire()
- D.** emit()

Answer: C ([LEAVE A REPLY](#))

Valid Plat-Dev-201 Dumps shared by TrainingDump.com for Helping Passing Plat-Dev-201 Exam!

TrainingDump.com now offer the **newest Plat-Dev-201 exam dumps**, the TrainingDump.com Plat-Dev-201 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com Plat-Dev-201 dumps with Test Engine here: <https://www.trainingdump.com/Salesforce/Plat-Dev-201-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 77

When a user edits the postal Code on an Account, a custom Account text field named. Timezone` must be updated based on the values in a PostalCodeToTimezone__c custom object. Which two automation tools can be used to implement this feature? Choose 2 answers

- A. Quick actions
- B. Fast field Updates record-triggered flow
- C. Account trigger
- D. Approval process

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 78

AW Computing tracks order information in custom objects called order__c and order_Line__c - Currently, all shipping information is stored in the order__c object. The company wants to expand its order application to support split shipments so that any number of order_Line__c records on a single order__c can be shipped to different locations. What should a developer add to fulfill this requirement?

- A. Order_shipment_Group__c object and master-detail field on order_Line__c
- B. Order_shipment_Group__c object and master-detail field on order_shipment_Group__c
- C. Order_shipment_Group__c object and master-detail field to order__c and Order_Line__c
- D. Order_shipment_Group__c object and master-detail field on order__c

Answer: ([SHOW ANSWER](#)**)**

Valid Plat-Dev-201 Dumps shared by TrainingDump.com for Helping Passing Plat-Dev-201 Exam!

TrainingDump.com now offer the **newest Plat-Dev-201 exam dumps**, the TrainingDump.com Plat-Dev-201 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingDump.com Plat-Dev-201 dumps with Test Engine here: <https://www.trainingdump.com/Salesforce/Plat-Dev-201-practice-exam-dumps.html> (240 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)